Geophysical journal international subject index by volume 116–119

Africa

Palaeomagnetism of the Stephano–Autunian Lower Tiguentourine formations from stable Saharan craton (Algeria) (Derder, M.E.-M., Henry B., Merabet, N.-E., Daly, L.), **116,** 12
Downward continuation of Magsat lithospheric anomalies to the Earth's surface (Whaler, K.A.), **116,** 267
The Somalia plate and the East African Rift System: present-day kinematics (Jestin, F., Huchon, P., Gaulier, J.M.), **116,** 637
A finite-difference technique to incorporate spatial variations in rigidity and planar faults into 3-D models for lithospheric flexure (van Wees, J.D., Cloetingh, S.), **117,** 179
Location of the Africa–Australia–India triple junction and motion between the Australian and Indian plates: results from an aeromagnetic investigation of the Central Indian and Carlsberg ridges (DeMets, C., Gordon, R.G., Vogt, P.), **119,** 893

Aftershocks

Contrasts between source parameters of $M \geq 5.5$ earthquakes in northern Baja California and southern California (Doser, D.I.), **116,** 605
Source parameters for the Roermond aftershocks of 1992 April 13–May 2 and site spectra for *P* and *S* waves at the Belgian seismic network (Oncescu, M.-C., Camelbeeck, T., Martin, H.), **116,** 673
The design of optimum networks for aftershock recordings (Hardt, M., Scherbaum, F.), **117,** 716
Acoustic imaging of earthquake sources from the Chalfant Valley, 1986, aftershock series (Rietbrock, A., Scherbaum, F.), **119,** 260

Algeria

Modelling local seismograms of French nuclear tests in Taourirt tan Afella massif, Hoggar, Algeria (Gaffet, S., Massinon, B., Plantet, J.-L., Cansi, Y.), **119,** 964

Alps

Present-day deformation of the French northwestern Alps/southern Jura mountains: comparison between historical triangulations (Jouanne, F., Ménard, G., Jault, D.), **119,** 151

Andes

Shear-wave splitting in the mantle of the Pacific (Farra, V., Vinnik, L.), **119,** 195

Anelasticity

Attenuation of multiphase surface waves in the Basin and Range Province—III. Inversion for crustal anelasticity (Mitchell B.J., Xie, J.-k.), **116,** 468
Synthetic seismograms for *SH* waves in anelastic transversely isotropic media (Le, L.H.T., Krebes, E.S., Quiroga-Goode, G.E.), **116,** 598
Complex rays in elastic and anelastic media (Zhu, T., Chun, K.-Y.), **119,** 269

Anisotropy

Magnetic pore fabric analysis: a rapid method for estimating permeability anisotropy (Pfleiderer, S., Halls, H.C.), **116,** 39
Overall properties of anisotropic materials containing cracks (Hudson, J.A.), **116,** 279
Reflection/transmission coefficient reciprocities in anisotropic media (Chapman, C.H.), **116,** 498
P-wave propagation in weakly anisotropic media (Sayers, C.M.), **116,** 799
Surface-wave propagation on a rotating, anisotropic earth (Tromp, J.), **117,** 141
Early Silurian palaeolatitude of the Springdale Group redbeds of central Newfoundland: a palaeomagnetic determination with a remanence anisotropy test for inclination error (Hodych, J.P., Buchan, K.L.), **117,** 640
Double-layer anisotropy resolved from *S* phases (Özalaybey, S., Savage, M.K.), **117,** 653
The 1953 earthquake in Cephalonia (Western Hellenic Arc): coastal uplift and halotectonic faulting (Stiros, S.C., Pirazzoli, P.A., Laborel, J., Laborel-Deguen, F.), **117,** 834
Elastic-wave scattering and Stoneley wave localization by anisotropic imperfect interfaces between solids (Huang, W., Rokhlin, S.I.), **118,** 285
Interfacial waves in the presence of areas of slip (Maugin, G.A., Chevalier, Y., Louzar, M.), **118,** 305
Non-axisymmetric guided waves in a composite cylinder with transversely isotropic core (Rattanawangcharoen, N., Datta, S.K., Shah, A.H.), **118,** 317
Acoustic reflection calculation using transfer matrices (Farnell, G.W.), **118,** 358
Ray method of calculating the intensity of wavefronts in the case of a heterogeneous, anisotropic, elastic medium (Babich, V.M.), **118,** 379
Elastodynamic fundamental solutions for anisotropic solids (Wang, C.-Y., Achenbach, J.D.), **118,** 384
Body waves in a weakly anisotropic medium—I. Plane waves (Kiselev, A.P.), **118,** 393
Elastic wave propagation in a radially anisotropic medium (Boström, A., Johansson, M., Svedberg, T.), **118,** 401
The fracture criticality of crustal rocks (Crampin, S.), **118,** 428
Finite-amplitude plane waves in deformed Hadamard elastic materials (Boulanger, Ph., Hayes, M., Trimarco, C.), **118,** 447
Correction for deviations due to magnetic anisotropy of palaeomagnetic directions from the Mulcahy Gabbro, northwest Ontario (Gala, M.G., Palmer, H.C.), **118,** 485
Free oscillations of elastically anisotropic spheres and ellipsoids (Oda, H., Hirao, J., Suzuki, I., Visscher, W.M., Anderson, O.L.), **118,** 555
Seismic-waveform effects of conical points in gradually varying anisotropic media (Rümpker, G., Thomson, C.J.), **118,** 759
Shear-wave splitting in the mantle of the Pacific (Farra, V., Vinnik, L.), **119,** 195
Simplified dynamic and static Green's functions in transversely isotropic media (Dong, W., Schmitt, D.P.), **119,** 231
A rheological model for anelastic anisotropic media with applications to seismic wave propagation (Carcione, J.M., Cavallini, F.), **119,** 338
Investigations of S_g and P_g phases in the area of the upper Rhine Graben and northern Switzerland (Plenefisch, T., Faber, S., Bonjer, K.-P.), **119,** 402
Kinematic inversion for the 2-D horizontal and vertical *qP*-wave velocities and depths to interfaces applied to the TACT seismic profile, southern Alaska (Boztepe, E.A., Braile, L.W.), **119,** 529
Rotational properties of the magnetotelluric impedance tensor: the example of the Arguainha impact crater, Brazil (Fischer, G., Masero, W.), **119,** 548
Shear-wave splitting variation over short spatial scales on continents (Helffrich, G., Silver, P., Given, H.), **119,** 561
Migration/inversion for transversely isotropic elastic media (Eaton, D.W.S., Stewart, R.R.), **119,** 667

The study of elastic symmetry and anisotropy of elastic body waves in gneiss (Aleksandrov, K.S., Prodayvoda, G.T.), **119,** 715
Seismic anisotropy in the crust at the mid-Atlantic plate boundary in south-west Iceland (Menke, W., Brandsdottir, B., Jakobsdottir, S., Stefansson, R.), **119,** 783
The interpretation of shear-wave splitting parameters in the presence of two anisotropic layers (Silver, P.G., Savage, M.K.), **119,** 949

Antarctic

The Somalia plate and the East African Rift System: present-day kinematics (Jestin, F., Huchon, P., Gaulier, J.M.), **116,** 637
Shear-wave velocity and attenuation structure beneath Antarctica determined from surface waves (Singh, D.D.), **118,** 515

APW (apparent polar wander)

Palaeomagnetism of the Stephano–Autunian Lower Tiguentourine formations from stable Saharan craton (Algeria) (Derder, M.E.-M., Henry, B., Merabet, N.-E., Daly, L.), **116,** 12
New Late Eocene pole for Australia, time-averaging of remanence directions, and palaeogeographic reference systems (Idnurm, M.), **117,** 827
Palaeomagnetic investigation of Middle Devonian limestones of Algeria and the Gondwana reconstruction (Smith, B., Moussine-Pouchkine, A., Ahmed, A.A.K.), **119,** 166

Array

Array analysis of the large-aperture array of the 1988–89 PASSCAL Basin and Range Passive-Source Seismic Experiment (Randall, G.E., Owens, T.J.), **116,** 618
Thin superficial layer and lateral heterogeneities in southern Sweden using short-period Rayleigh-wave dispersion (Åström, K., Lund C.-E.), **118,** 231

Asia

A simple method for estimating the horizontal velocity field in wide zones of active deformation—II. Examples from New Zealand, Central Asia and Chile (Lamb, S.), **119,** 313

Asthenosphere

Deep electromagnetic sounding in Turkmenia (Avdeev, D.B., Dubrovsky, V.G., Fainberg, E.B., Pankratov, O.V., Zinger, B.Sh.), **118,** 467
Evaluation of the importance of model features for cyclic deformation due to dip-slip faulting (Cohen, S.C.), **119,** 831

Atlantic Ocean

A global analysis of mid-ocean ridge axial topography (Small, C.), **116,** 64
Crustal structure of the Goban Spur rifted continental margin, NE Atlantic (Horsefield, S.J., Whitmarsh, R.B., White, R.S., Sibuet, J.-C.), **119,** 1

Atmospheres

Fluctuations in the Earth's rotation since 1830 from high-resolution astronomical data (Jordi, C., Morrison, L.V., Rosen, R.D., Salstein, D.A., Rosselló, G.), **117,** 811

Attenuation

Attenuation of multiphase surface waves in the Basin and Range Province—III. Inversion for crustal anelasticity (Mitchell B.J., Xie, J.-k.), **116,** 468
Bayesian attenuation regressions: an application to Mexico City (Ordaz, M., Singh, S.K., Arciniega, A.), **117,** 335
The phononic lattice solid with fluids for modelling non-linear solid–fluid interactions (Huang, L.-J., Mora, P.), **117,** 529
Shear-wave velocity and attenuation structure beneath Antarctica determined from surface waves (Singh, D.D.), **118,** 515

Australia

New Late Eocene pole for Australia, time-averaging of remanence directions, and palaeogeographic reference systems (Idnurm, M.), **117,** 827
Location of the Africa–Australia–India triple junction and motion between the Australian and Indian plates: results from an aeromagnetic investigation of the Central Indian and Carlsberg ridges (DeMets, C., Gordon, R.G., Vogt, P.), **119,** 893

b values

Seismicity in north-eastern Brazil: fractal clustering and the evolution of the *b* value (Henderson, J., Main, I.G., Pearce, R.G., Takeya, M.), **116,** 217
Seismicity in the Hellenic Volcanic Arc: relation between seismic parameters and the geophysical fields in the region (Tsapanos, T.M., Galanopoulos, D., Burton, P.W.), **117,** 677

Body waves

Empirical measurements of tectonic moment release in nuclear explosions from teleseismic surface waves and body waves (Ekström, G., Richards, P.G.), **117,** 120
The wavelength-smoothing method for approximating broad-band wave propagation through complicated velocity structures (Lomax, A.), **117,** 313
Representations of the seismic wavefield (Kennett, B.L.N.), **118,** 344
Acoustic reflection calculation using transfer matrices (Farnell, G.W.), **118,** 358
Ray method of calculating the intensity of wavefronts in the case of a heterogeneous, anisotropic, elastic medium (Babich, V.M.), **118,** 379
Elastodynamic fundamental solutions for anisotropic solids (Wang, C.-Y., Achenbach, J.D.), **118,** 384
Body waves in a weakly anisotropic medium—I. Plane waves (Kiselev, A.P.), **118,** 393
Finite-amplitude plane waves in deformed Hadamard elastic materials (Boulanger, Ph., Hayes, M., Trimarco, C.), **118,** 447
Shear-wave velocity and attenuation structure beneath Antarctica determined from surface waves (Singh, D.D.), **118,** 515
Teleseismic synthetics obtained from 3-D calculations in 2-D media (Okamoto, T.), **118,** 613
Seismic wave propagation in complex crustupper mantle media using 2-D finite-difference synthetics (Hestholm, S.O., Husebye, E.S., Ruud, B.O.), **118,** 643
Seismic-waveform effects of conical points in gradually varying anisotropic media (Rümpker, G., Thomson, C.J.), **118,** 759
Complex rays in elastic and anelastic media (Zhu, T., Chun, K.-Y.), **119,** 269
Multiples as precursors to *S, SKS* and *ScS* (Bock, G.), **119,** 421
The study of elastic symmetry and anisotropy of elastic body waves in gneiss (Aleksandrov, K.S., Prodayvoda, G.T.), **119,** 715

Borehole geophysics

Acoustoelasticity of solid/fluid composite systems (Norris, A.N., Sinha, B.K., Kostek, S.), **118,** 439

Brazil

A magnetotelluric investigation of the Araguainha impact

structure in Mato Grosso-Goiás, central Brazil (Masero, W., Schnegg, P.-A., Fontes, S.L.), **116,** 366
Rotational properties of the magnetotelluric impedance tensor: the example of the Arguainha impact crater, Brazil (Fischer, G., Masero, W.), **119,** 548

Broad band

The wavelength-smoothing method for approximating broad-band wave propagation through complicated velocity structures (Lomax, A.), **117,** 313
The velocity structure of the crust and upper mantle under China from broad-band *P* and *PP* waveform analysis (Beckers, J., Schwartz, S.Y., Lay, T.), **119,** 574

Canada

A two-year comparison between the French and Canadian superconducting gravimeter data (Hinderer, J., Crossley, D., Xu, H.), **116,** 252
Electromagnetic mode conversion by surface-conductivity anomalies: applications for conductivity soundings (Ferguson, I.J., Edwards, R.N.), **117,** 48
A model of crustal conductive structure in the Canadian Cordillera (Majorowicz, J.A., Gough, D.I.), **117,** 301
The nearly diurnal free wobble resonance in gravity measured at Cantley, Quebec (Merriam, J.B.), **119,** 369

Chandler wobble

On some forced oscillations relating to Laplace's tidal equation (Sozou, C.), **119,** 779

Chile

Determination of seismogenic interplate contact zone and crustal seismicity around Antofagasta, northern Chile using local data (Comte, D., Pardo, M., Dorbath, L., Dorbath, C., Haessler, H., Rivera, L., Cisternas, A., Ponce, L.), **116,** 553
Velocity structure in northern Chile: evidence of subducted oceanic crust in the Nazca Plate (Comte, D., Roecker, S.W., Suárez, G.), **117,** 625

China

Magnetic enhancement of Chinese loess—the role of γFe_2O_3? (Eyre, J.K., Shaw, J.), **117,** 265
Palaeomagnetism of the (Upper Palaeozoic–Lower Mesozoic) Pyongan Supergroup, Korea: a Phanerozoic Link with the North China Block (Doh, S.-J., Piper, J.D.A.), **117,** 850
The velocity structure of the crust and upper mantle under China from broad-band *P* and *PP* waveform analysis (Beckers, J., Schwartz, S.Y., Lay, T.), **119,** 574

Climate

Influence of climate on the radioactivity of lake and sea sediments: first results (Liritzis, I., Galloway, R.B., Kovacheva, M., Kalcheva, V.B.), **116,** 683

Comment

Can magnetic-force microscopy determine micromagnetic structures? (Grütter, P., Allenspach, R.), **116,** 502
Comment on 'The effect of sea tides on gravity tidal observations on the Antarctic Ekström ice shelf' by Bülent Tezkan and Ugur Yaramanci (Smith, A.M., Vaughan, D.G.), **118,** 808
Comment on 'Magnetostratigraphy of the Hettangian Langmoos section (Adnet, Austria): evidence for time-delayed phases of magnetization' by Y. Gallet, D. Vandamme and L. Krystyn (Channell, J.E.T., Stoner, J.S.), **119,** 1005
Comment on: 'Early Silurian palaeolatitude of the Springdale Group redbeds of central Newfoundland: a palaeomagnetic determination with a remanence anisotropy test for inclination error' by J. P. Hodych and K. L. Buchan (Stamatakos, J., Van der Voo, R., van der Pluijm, B., Potts, S., Torsvik, T.), **119,** 1009

Composite media

Acoustoelasticity of solid/fluid composite systems (Norris, A.N., Sinha, B.K., Kostek, S.), **118,** 439
Wave propagation in polar elastic superlattices (Green, W.A., Green, E.R.), **118,** 459

Continental margins

Crustal structure of the Goban Spur rifted continental margin, NE Atlantic (Horsefield, S.J., Whitmarsh, R.B., White, R.S., Sibuet, J.-C.), **119,** 1

Convection

The magnetostrophic rise of a buoyant parcel in the Earth's core (Moffatt, H.K., Loper, D.E.), **117,** 394
Influence of mantle compressibility and ocean warping on dynamical models of the geoid (Thoraval, C., Machetel, P., Cazenave, A.), **117,** 566
Convective coupling between ductile lower crust and upper mantle, and its tectonic implications (Nakada, M.), **118,** 579
Numerical simulation of thermal convection in compacting sedimentary basins (Wangen, M.), **119,** 129

Core–mantle boundary

Kinematic magnetic-field morphology at the core–mantle boundary (Hutcheson, K.A., Gubbins, D.), **116,** 304
Mantle rheology, viscomagnetic coupling at the core–mantle boundary and differential rotation of the core induced by Pleistocenic deglaciation (Lefftz, M., Sabadini, R., Legros, H.), **117,** 1
Electromagnetic coupling and the toroidal magnetic field at the core–mantle boundary (Love, J.J., Bloxham, J.), **117,** 235
The magnetostrophic rise of a buoyant parcel in the Earth's core (Moffatt, H.K., Loper, D.E.), **117,** 394
Late Palaeozoic–Mesozoic geomagnetic reversal paths and core–mantle boundary (Vizán, H., Somoza, R., Orgeira, M.J., Vásquez, C.A., Mena, M., Vilas, J.F.), **117,** 819

Corrigendum

Corrigendum (Itonaga, M., Kitamura, T.-I.), **118,** 812

Cracked media

Overall properties of a material with inclusions or cavities (Hudson, J.A.), **117,** 555
The fracture criticality of crustal rocks (Crampin, S.), **118,** 428

Cracks

Overall properties of anisotropic materials containing cracks (Hudson, J.A.), **116,** 279
Intersonic bilateral slip (Broberg, K.B.), **119,** 706
Seismic anisotropy in the crust at the mid-Atlantic plate boundary in south-west Iceland (Menke, W., Brandsdottir, B., Jakobsdottir, S., Stefansson, R.), **119,** 783

Cratering

A magnetotelluric investigation of the Araguainha impact

structure in Mato Grosso-Goiás, central Brazil (Masero, W., Schnegg, P.-A., Fontes, S.L.), **116,** 366

Creep

Rheology heterogeneities on fault surfaces inferred from the time history of afterslip events (Belardinelli, M.E., Bonafede, M.), **116,** 349

Crustal deformation

Crustal deformation due to non-uniform slip along a long fault (Singh, S.J., Punia, M., Rani, S.), **118,** 411

Crustal structure

Crustal conductors along the SVEKA Profile in the Fennoscandian (Baltic) Shield, Finland (Korja, T., Koivukoski, K.), **116,** 173
Seismicity and structural complexity of the Dinkelberg block, southern Rhine Graben (Faber, S., Bonjer, K.-P., Brüstle, W., Deichmann, N.), **116,** 393
The structure of the Nazca ridge and Sala y Gomez seamount chain from the dispersion of Rayleigh waves (Woods, M.T., Okal, E.A.), **117,** 205
A model of crustal conductive structure in the Canadian Cordillera (Majorowicz, J.A., Gough, D.I.), **117,** 301
The 1953 earthquake in Cephalonia (Western Hellenic Arc): coastal uplift and halotectonic faulting (Stiros, S.C., Pirazzoli, P.A., Laborel, J., Laborel-Deguen, F.), **117,** 834
Moho and lower crustal reflectivity beneath a young rift basin: results from a two-ship, wide-aperture seismic-reflection experiment in the Valencia Trough (western Mediterranean) (Collier, J.S., Buhl, P., Torné, M., Watts, A.B.), **118,** 159
Deep electromagnetic sounding in Turkmenia (Avdeev, D.B., Dubrovsky, V.G., Fainberg, E.B., Pankratov, O.V., Zinger, B.Sh.), **118,** 467
Convective coupling between ductile lower crust and upper mantle, and its tectonic implications (Nakada, M.), **118,** 579
Crustal structure of the Goban Spur rifted continental margin, NE Atlantic (Horsefield, S.J., Whitmarsh, R.B., White, R.S., Sibuet, J.-C.), **119,** 1
Stochastic characterization and seismic response of upper and middle crustal rocks based on the Lewisian gneiss complex, Scotland (Levander, A., England, R.W., Smith, S.K., Hobbs, R.W., Goff, J.A., Holliger, K.), **119,** 243
Seismic structure of gneissic/granitic upper crust: geological and petrophysical evidence from the Strona–Ceneri Zone (northern Italy) and implications for crustal seismic exploration (Holliger, K., Levander, A.), **119,** 497
Shear-wave splitting variation over short spatial scales on continents (Helffrich, G., Silver, P., Given, H.), **119,** 561
Crustal structure, gravity anomalies and flexure of the lithosphere in the vicinty of the Canary Islands (Watts, A.B.), **119,** 648
Seismic refraction crustal study along the Sognefjord, south-west Norway, employing ocean-bottom seismometers (Iwasaki, T., Sellevoll, M.A., Kanazawa, T., Veggeland, T., Shimamura, H.), **119,** 791
Statistical treatment of crustal magnetization (Jackson, A.), **119,** 991

Deep seismic reflection

Upper-mantle velocity structure beneath the Siberian platform (Priestley, K., Cipar, J., Egorkin, A., Pavlenkova, N.), **118,** 369
Complex structure along a Mesozoic sea-floor spreading ridge: BIRPS deep seismic reflection, Cape Verde abyssal plain (McBride, J.H., White, R.S., Henstock, T.J., Hobbs, R.W.), **119,** 453

Deformation

The phononic lattice solid with fluids for modelling non-linear solid–fluid interactions (Huang, L.-J., Mora, P.), **117,** 529
The 1953 earthquake in Cephalonia (Western Hellenic Arc): coastal uplift and halotectonic faulting (Stiros, S.C., Pirazzoli, P.A., Laborel, J., Laborel-Deguen, F.), **117,** 834
Crustal deformation due to non-uniform slip along a long fault (Singh, S.J., Punia, M., Rani, S.), **118,** 411
Convective coupling between ductile lower crust and upper mantle, and its tectonic implications (Nakada, M.), **118,** 579
Seismic wave propagation in complex crustupper mantle media using 2-D finite-difference synthetics (Hestholm, S.O., Husebye, E.S., Ruud, B.O.), **118,** 643
Present-day deformation of the French northwestern Alps/southern Jura mountains: comparison between historical triangulations (Jouanne, F., Ménard, G., Jault, D.), **119,** 151
A simple method for estimating the horizontal velocity field in wide zones of active deformation—I. Description, with an example from California (Lamb, S.), **119,** 297
A simple method for estimating the horizontal velocity field in wide zones of active deformation—II. Examples from New Zealand, Central Asia and Chile (Lamb, S.), **119,** 313
Evaluation of the importance of model features for cyclic deformation due to dip-slip . ulting (Cohen, S.C.), **119,** 831

Demagnetization

Low-temperature demagnetization and ice-pressure demagnetization in magnetite and haematite (Borradaile, G.J.), **116,** 571
Magnetostratigraphic data from late Quaternary sediments from the Yermak Plateau, Arctic Ocean: evidence for four geomagnetic polarity events within the last 170 Ka of the Brunhes Chron (Nowaczyk, N.R., Frederichs, T.W., Eisenhauer, A., Gard, G.), **117,** 453

Density

The density contrast at the Mohorovičič discontinuity (Martinec, Z.), **117,** 539
The minimum depth of compensation of topographic masses (Martinec, Z.), **117,** 545
On the growth and collapse of wide orogenic belts (Sun, J., Murrell, S.A.F.), **118,** 255

Diffraction

An automated ray method for diffraction modelling in complex media (Klaeschen, D., Rabbel, W., Flueh, E.R.), **116,** 23

Earthquake location

Seismicity in north-eastern Brazil: fractal clustering and the evolution of the *b* value (Henderson, J., Main, I.G., Pearce, R.G., Takeya, M.), **116,** 217
Simulated annealing for earthquake location (Billings, S.D.), **118,** 680
Hypocentre location: genetic algorithms incorporating problem-specific information (Billings, S.D., Kennett, B.L.N., Sambridge, M.S.), **118,** 693

Earthquake prediction

Long-term earthquake prediction along the North and East Anatolian Fault Zones based on the time- and magnitude-predictable model (Karakaisis, G.F.), **116,** 198

Earthquake-source mechanism

Geometry and state of stress of the subducted Nazca plate beneath central Chile and Argentina: evidence from teleseismic data (Araujo, M., Suárez, G.), **116,** 283
Why have the single force and torque been excluded from seismic source models? (Takei, Y., Kumazawa, M.), **118,** 20

Implications of earthquake focal mechanism data for the active tectonics of the south Caspian Basin and surrounding regions (Priestley, K., Baker, C., Jackson, J.), **118,** 111
On non-uniqueness of the inverse problem for a seismic source—I. Treatment in terms of equivalent force (Pavlov, V.M.), **119,** 479
On non-uniqueness of the inverse problem for a seismic source—II. Treatment in terms of polynomial moment (Pavlov, V.M.), **119,** 487

Earthquakes

Detection of anomalous seismic phases by the wavelet transform (Yomogida, K.), **116,** 119
Artificial and natural changes in the rates of seismic activity: a case study of the Garm Region, Tadjikistan (CIS) (Eneva, M., Habermann, R.E., Hamburger, M.W.), **116,** 157
Is there a correlation between larger local earthquakes and the end of eruptions at Mount Etna volcano, Sicily? (Gresta, S., Marzocchi, W., Mulargia, F.), **116,** 230
Seismodynamics of Sweden deduced from earthquake focal mechanisms (Arvidsson, R., Kulhanek, O.), **116,** 377
Contrasts between source parameters of $M \geq 5.5$ earthquakes in northern Baja California and southern California (Doser, D.I.), **116,** 605
Source mechanism of the 1992 Roermond earthquake from surface-wave inversion of regional data (Braunmiller, J., Dahm, T., Bonjer, K.-P.), **116,** 663
Source parameters for the Roermond aftershocks of 1992 April 13–May 2 and site spectra for *P* and *S* waves at the Belgian seismic network (Oncescu, M.-C., Camelbeeck, T., Martin, H.), **116,** 673
Earthquake swarms in the Kamchatka–Commander Region (Zobin, V.M., Ivanova, E.I.), **117,** 33
Incremental stress and earthquakes (Kagan, Y.Y.), **117,** 345
The 1953 earthquake in Cephalonia (Western Hellenic Arc): coastal uplift and halotectonic faulting (Stiros, S.C., Pirazzoli, P.A., Laborel, J., Laborel-Deguen, F.), **117,** 834
Faulting process of the 1990 June 20 Iran earthquake from broad-band records (Campos, J., Madariaga, R., Nábělek, J., Bukchin, B.G., Deschamps, A.), **118,** 31
Teleseismic synthetics obtained from 3-D calculations in 2-D media (Okamoto, T.), **118,** 613
Modelling the Roermond earthquake of 1992 April 13 by stochastic simulation of its high-frequency strong ground motion (Scherbaum, F.), **119,** 31
Acoustic imaging of earthquake sources from the Chalfant Valley, 1986, aftershock series (Rietbrock, A., Scherbaum, F.), **119,** 260
A simple method for estimating the horizontal velocity field in wide zones of active deformation—II. Examples from New Zealand, Central Asia and Chile (Lamb, S.), **119,** 313

Earth's core

Kinematic magnetic-field morphology at the core–mantle boundary (Hutcheson, K.A., Gubbins, D.), **116,** 304
The magnetostrophic rise of a buoyant parcel in the Earth's core (Moffatt, H.K., Loper, D.E.), **117,** 394

Earth's interior

Gravitational coupling in the Earth's interior revisited (Xu, S., Szeto, A.M.K.), **118,** 94

Earth's rotation

A simple method to retrieve the complex eigenfrequency of the Earth's nearly diurnal-free wobble; application to the Strasbourg superconducting gravimeter data (Florsch, N., Chambat, F., Hinderer, J., Legros, H.), **116,** 53
Mantle rheology, viscomagnetic coupling at the core–mantle boundary and differential rotation of the core induced by Pleistocenic deglaciation (Lefftz, M., Sabadini, R., Legros, H.), **117,** 1
Electromagnetic coupling and the toroidal magnetic field at the core–mantle boundary (Love, J.J., Bloxham, J.), **117,** 235
Mountain building and earth rotation (Vermeersen, L.L.A., Sabadini, R., Spada, G., Vlaar, N.J.), **117,** 610
Fluctuations in the Earth's rotation since 1830 from high-resolution astronomical data (Jordi, C., Morrison, L.V., Rosen, R.D., Salstein, D.A., Rosselló, G.), **117,** 811
Divergence of high-degree harmonic solutions of a rotating elliptical earth (Sun, W., Murata, I.), **118,** 269
The nearly diurnal free wobble resonance in gravity measured at Cantley, Quebec (Merriam, J.B.), **119,** 369

Edge waves

An automated ray method for diffraction modelling in complex media (Klaeschen, D., Rabbel, W., Flueh, E.R.), **116,** 23

Eigentheory

A simple method to retrieve the complex eigenfrequency of the Earth's nearly diurnal-free wobble; application to the Strasbourg superconducting gravimeter data (Florsch, N., Chambat, F., Hinderer, J., Legros, H.), **116,** 53
Resonance prediction of deep sediment valleys through an eigenvalue method (Zhou, T., Dravinski, M.), **117,** 749

Elastic-wave theory

Resonance prediction of deep sediment valleys through an eigenvalue method (Zhou, T., Dravinski, M.), **117,** 749
Existence and uniqueness of Stoneley waves (Chadwick, P., Borejko, P.), **118,** 279
Elastic-wave scattering and Stoneley wave localization by anisotropic imperfect interfaces between solids (Huang, W., Rokhlin, S.I.), **118,** 285
Interfacial waves in the presence of areas of slip (Maugin, G.A., Chevalier, Y., Louzar, M.), **118,** 305
Non-axisymmetric guided waves in a composite cylinder with transversely isotropic core (Rattanawangcharoen, N., Datta, S.K., Shah, A.H.), **118,** 317
Surface acoustic waves of sagittal and shear-horizontal polarizations on large-amplitude gratings (Maradudin, A.A., Zierau, W.), **118,** 325
Body waves in a weakly anisotropic medium—I. Plane waves (Kiselev, A.P.), **118,** 393
Elastic wave propagation in a radially anisotropic medium (Boström, A., Johansson, M., Svedberg, T.), **118,** 401
Seismic wave propagation in complex crustupper mantle media using 2-D finite-difference synthetics (Hestholm, S.O., Husebye, E.S., Ruud, B.O.), **118,** 643

Elastodynamics

Lamé's problem of gravitational viscoelasticity: the isochemical, incompressible planet (Wolf, D.), **116,** 321
Overall properties of a material with inclusions or cavities (Hudson, J.A.), **117,** 555
Representations of the seismic wavefield (Kennett, B.L.N.), **118,** 344
Acoustic reflection calculation using transfer matrices (Farnell, G.W.), **118,** 358
Ray method of calculating the intensity of wavefronts in the case of a heterogeneous, anisotropic, elastic medium (Babich, V.M.), **118,** 379
Elastodynamic fundamental solutions for anisotropic solids (Wang, C.-Y., Achenbach, J.D.), **118,** 384
Acoustoelasticity of solid/fluid composite systems (Norris, A.N., Sinha, B.K., Kostek, S.), **118,** 439
Finite-amplitude plane waves in deformed Hadamard elastic materials (Boulanger, Ph., Hayes, M., Trimarco, C.), **118,** 447
Wave propagation in polar elastic superlattices (Green, W.A., Green, E.R.), **118,** 459
Free oscillations of elastically anisotropic spheres and ellipsoids

(Oda, H., Hirao, J., Suzuki, I., Visscher, W.M., Anderson, O.L.), **118,** 555

Electrical conductivity

Regularized spherical harmonic analysis and the 3-D electromagnetic response of the Earth (Schultz, A., Zhang, T.S.), **116,** 141
Crustal conductors along the SVEKA Profile in the Fennoscandian (Baltic) Shield, Finland (Korja, T., Koivukoski, K.), **116,** 173
Adjustment of the electromagnetic field distorted by 3-D heterogeneities (Menvielle, M., Tarits, P.), **116,** 562
Electromagnetic mode conversion by surface-conductivity anomalies: applications for conductivity soundings (Ferguson, I.J., Edwards, R.N.), **117,** 48
Existence of an optimal conductivity and Fréchet differentiability in 2-D electromagnetic inversion (Everett, M.E.), **117,** 111
A model of crustal conductive structure in the Canadian Cordillera (Majorowicz, J.A., Gough, D.I.), **117,** 301
Asymptotic theory for diffusive electromagnetic imaging (Virieux, J., Flores-Luna, C., Gibert, D.), **119,** 857
3-D inversion in subsurface electrical surveying—I. Theory (Dabas, M., Tabbagh, A., Tabbagh, J.), **119,** 975

Electrical resistivity

Crustal conductors along the SVEKA Profile in the Fennoscandian (Baltic) Shield, Finland (Korja, T., Koivukoski, K.), **116,** 173
Interpretation of long-period magnetotelluric soundings in Friuli (north-east Italy) and the electrical characteristics of the lithosphere (Braitenberg, C., Capuano, P., Gasparini, P., Zadro, M.), **117,** 196
The pole–pole 3-D DC-resistivity inverse problem: a conjugate-gradient approach (Ellis, R.G., Oldenburg, D.W.), **119,** 187
Constraints on the large-scale porosity and permeability structure of young oceanic crust from velocity and resistivity data (Evans, R.L.), **119,** 869
3-D inversion in subsurface electrical surveying—I. Theory (Dabas, M., Tabbagh, A., Tabbagh, J.), **119,** 975

Electromagnetic induction

Calculation of sensitivities for the frequency-domain electromagnetic problem (McGillivray, P.R., Oldenburg, D.W., Ellis, R.G., Habashy, T.M.), **116,** 1
Electromagnetic mode conversion by surface-conductivity anomalies: applications for conductivity soundings (Ferguson, I.J., Edwards, R.N.), **117,** 48
Existence of an optimal conductivity and Fréchet differentiability in 2-D electromagnetic inversion (Everett, M.E.), **117,** 111

Electromagnetic modelling

Regularized spherical harmonic analysis and the 3-D electromagnetic response of the Earth (Schultz, A., Zhang, T.S.), **116,** 141
Adjustment of the electromagnetic field distorted by 3-D heterogeneities (Menvielle, M., Tarits, P.), **116,** 562
Resistivity structure of the underconsolidated sediments of the Cascadia Basin (Lei, H., Nobes, D.C.), **118,** 717

Electromagnetic surveys

Exploration of mid-ocean ridges with a frequency-domain electromagnetic system (Unsworth, M.), **116,** 447
Deep electromagnetic sounding in Turkmenia (Avdeev, D.B., Dubrovsky, V.G., Fainberg, E.B., Pankratov, O.V., Zinger, B.Sh.), **118,** 467
Asymptotic theory for diffusive electromagnetic imaging (Virieux, J., Flores-Luna, C., Gibert, D.), **119,** 857

Europe

New palaeomagnetic constraints on the position of central Bohemia during Early Ordovician times (Tait, J., Bachtadse, V., Soffel, H.), **116,** 131
Shear-wave velocity variations in the upper mantle beneath central Europe (Zielhuis, A., Nolet, G.), **117,** 695

Explosion seismology

Spectral characteristics of seismic events off the coast of the Levant (Gitterman, Y., Shapira, A.), **116,** 485

Fault models

Numerical simulation of faults and shear zones (Donzé, F., Mora, P., Magnier, S.-A.), **116,** 46
A finite-difference technique to incorporate spatial variations in rigidity and planar faults into 3-D models for lithospheric flexure (van Wees, J.D., Cloetingh, S.), **117,** 179
Elastic-wave scattering and Stoneley wave localization by anisotropic imperfect interfaces between solids (Huang, W., Rokhlin, S.I.), **118,** 285
Interfacial waves in the presence of areas of slip (Maugin, G.A., Chevalier, Y., Louzar, M.), **118,** 305

Fault slip

Rheology heterogeneities on fault surfaces inferred from the time history of afterslip events (Belardinelli, M.E., Bonafede, M.), **116,** 349
Crustal deformation due to non-uniform slip along a long fault (Singh, S.J., Punia, M., Rani, S.), **118,** 411
Intersonic bilateral slip (Broberg, K.B.), **119,** 706
Evaluation of the importance of model features for cyclic deformation due to dip-slip faulting (Cohen, S.C.), **119,** 831

Faulting

Long-term earthquake prediction along the North and East Anatolian Fault Zones based on the time- and magnitude-predictable model (Karakaisis, G.F.), **116,** 198
Determination of seismogenic interplate contact zone and crustal seismicity around Antofagasta, northern Chile using local data (Comte, D., Pardo, M., Dorbath, L., Dorbath, C., Haessler, H., Rivera, L., Cisternas, A., Ponce, L.), **116,** 553
Contrasts between source parameters of $M \geq 5.5$ earthquakes in northern Baja California and southern California (Doser, D.I.), **116,** 605
Faulting process of the 1990 June 20 Iran earthquake from broad-band records (Campos, J., Madariaga, R., Nábělek, J., Bukchin, B.G., Deschamps, A.), **118,** 31
Implications of earthquake focal mechanism data for the active tectonics of the south Caspian Basin and surrounding regions (Priestley, K., Baker, C., Jackson, J.), **118,** 111
Effects of rigidity layering, gravity and stress relaxation on 3-D subsurface fault displacement fields (Ma, X.Q., Kusznir, N.J.), **118,** 201
Complex structure along a Mesozoic sea-floor spreading ridge: BIRPS deep seismic reflection, Cape Verde abyssal plain (McBride, J.H., White, R.S., Henstock, T.J., Hobbs, R.W.), **119,** 453
3-D velocity structure of the San Jacinto fault zone near Anza, California—I. *P* waves (Scott, J.S., Masters, T.G., Vernon, F.L.), **119,** 611

Finite-difference methods

A finite-difference technique to incorporate spatial variations in rigidity and planar faults into 3-D models for lithospheric flexure (van Wees, J.D., Cloetingh, S.), **117,** 179

Teleseismic synthetics obtained from 3-D calculations in 2-D media (Okamoto, T.), **118,** 613
Numerical calculations of the thermal conductivities of composites: a 2-D model (Pascal, F., Jones, F.W.), **118,** 623
Seismic wave propagation in complex crustupper mantle media using 2-D finite-difference synthetics (Hestholm, S.O., Husebye, E.S., Ruud, B.O.), **118,** 643
The phononic lattice solid by interpolation for modelling *P* waves in heterogeneous media (Huang, L.-J., Mora, P.), **119,** 766

Finland

Crustal conductors along the SVEKA Profile in the Fennoscandian (Baltic) Shield, Finland (Korja, T., Koivukoski, K.), **116,** 173

Fluid dynamics

Turbulent 3-D thermal convection in an infinite Prandtl number, volumetrically heated fluid: implications for mantle dynamics (Parmentier, E.M., Sotin, C., Travis, B.J.), **116,** 241

Focal depth

Seismodynamics of Sweden deduced from earthquake focal mechanisms (Arvidsson, R., Kulhanek, O.), **116,** 377
Seismicity and structural complexity of the Dinkelberg block, southern Rhine Graben (Faber, S., Bonjer, K.-P., Brüstle, W., Deichmann, N.), **116,** 393

Foreshocks

Contrasts between source parameters of $M \geq 5.5$ earthquakes in northern Baja California and southern California (Doser, D.I.), **116,** 605

Fourier transforms

On the evaluation of explicit 2-D extrapolation operators (Maeland, E.), **116,** 85

Fractals

Seismicity in north-eastern Brazil: fractal clustering and the evolution of the *b* value (Henderson, J., Main, I.G., Pearce, R.G., Takeya, M.), **116,** 217
Microseismic properties of a homogeneous sandstone during fault nucleation and frictional sliding (Liakopoulou-Morris, F., Main, I.G., Crawford, B.R., Smart, B.G.D.), **119,** 219

Fractures

Numerical simulation of faults and shear zones (Donzé, F., Mora, P., Magnier, S.-A.), **116,** 46
Rheology heterogeneities on fault surfaces inferred from the time history of afterslip events (Belardinelli, M.E., Bonafede, M.), **116,** 349
Investigation of permeable fracture zones by tube-wave analysis (Li, Y.D., Rabbel, W., Wang, R.), **116,** 739
Incremental stress and earthquakes (Kagan, Y.Y.), **117,** 345
The fracture criticality of crustal rocks (Crampin, S.), **118,** 428

France

A two-year comparison between the French and Canadian superconducting gravimeter data (Hinderer J., Crossley D., Xu H.), **116,** 252

Fréchet derivatives

Calculation of sensitivities for the frequency-domain electromagnetic problem (McGillivray, P.R., Oldenburg, D.W., Ellis, R.G., Habashy, T.M.), **116,** 1
Existence of an optimal conductivity and Fréchet differentiability in 2-D electromagnetic inversion (Everett, M.E.), **117,** 111

Free oscillations

A simple method to retrieve the complex eigenfrequency of the Earth's nearly diurnal-free wobble; application to the Strasbourg superconducting gravimeter data (Florsch, N., Chambat, F., Hinderer, J., Legros, H.), **116,** 53
Long-period surface waves and mantle boundary undulations (Ritzwoller, M.H., Lavely, E.M.), **116,** 205
Splitting of the free-oscillation multiplets by steady flow (Gilbert, F.), **116,** 227
Free oscillations of elastically anisotropic spheres and ellipsoids (Oda, H., Hirao, J., Suzuki, I., Visscher, W.M., Anderson, O.L.), **118,** 555

Gaussian-beam method

Ground motion at mountains and sedimentary basins with vertical seismic velocity gradient (Benites, R., Aki, K.), **116,** 95

Geochemistry

Geochemical effects of magmatic solitary waves—I. Numerical results (Watson, S., Spiegelman, M.), **117,** 284
Geochemical effects of magmatic solitary waves—II. Some analysis (Spiegelman, M.), **117,** 296

Geodesy

Relative motions in Europe studied with a geodetic VLBI network (Zarraoa, N., Rius, A., Sardón, E., Ryan, J.W.), **117,** 763
Contemporary global horizontal crustal motion (Smith, D.E., Kolenkiewicz, R., Nerem, R.S., Dunn, P.J., Torrence, M.H., Robbins, J.W., Klosko, S.M., Williamson, R.G., Pavlis, E.C.), **119,** 511

Geodynamics

A geodynamic framework for interpreting crustal-scale seismic-reflectivity patterns in compressional orogens (Beaumont, C., Quinlan, G.), **116,** 754
The magnetostrophic rise of a buoyant parcel in the Earth's core (Moffatt, H.K., Loper, D.E.), **117,** 394
Relative palaeointensity records from the Ontong–Java Plateau (Tauxe, L., Shackleton, N.J.), **117,** 769

Geoid

Dynamic topography estimates using *Geosat* data and a gravimetric geoid in the Gulf Stream region (Rapp, R.H., Wang, Y.M.), **117,** 511
Influence of mantle compressibility and ocean warping on dynamical models of the geoid (Thoraval, C., Machetel, P., Cazenave, A.), **117,** 566
Improved gravimetric terrain corrections (Li, Y.C., Sideris, M.G.), **119,** 740

Geoid anomalies

Mountain building and earth rotation (Vermeersen, L.L.A., Sabadini, R., Spada, G., Vlaar, N.J.), **117,** 610

Geomagnetic field

Mantle rheology, viscomagnetic coupling at the core–mantle boundary and differential rotation of the core induced by Pleistocenic deglaciation (Lefftz, M., Sabadini, R., Legros, H.), **117,** 1

Late Palaeozoic–Mesozoic geomagnetic reversal paths and core–mantle boundary (Vizán, H., Somoza, R., Orgeira, M.J., Vásquez, C.A., Mena, M., Vilas, J.F.), **117,** 819
Determination of equivalent current sources from spherical cap harmonic models of geomagnetic field variations (Haines, G.V., Torta, J.M.), **118,** 499
Regularized geomagnetic field modelling using monopoles (O'Brien, M.S., Parker, R.L.), **118,** 566
The geomagnetic eccentric dipole: facts and fallacies (Lowes, F.J.), **118,** 671
Location of the Africa–Australia–India triple junction and motion between the Australian and Indian plates: results from an aeromagnetic investigation of the Central Indian and Carlsberg ridges (DeMets, C., Gordon, R.G., Vogt, P.), **119,** 893

Geomagnetic variation

On the detectability of a highly conductive layer in the upper mantle beneath the Black Forest crystalline using magnetotelluric methods (Tezkan, B.), **118,** 185

Geomagnetism

Kinematic magnetic-field morphology at the core–mantle boundary (Hutcheson, K.A., Gubbins, D.), **116,** 304
Smoothing of geomagnetic data using a piecewise cubic polynomial (Itonaga, M., Kitamura, T.-I.), **116,** 655
Electromagnetic coupling and the toroidal magnetic field at the core–mantle boundary (Love, J.J., Bloxham, J.), **117,** 235
Magnetostratigraphic data from late Quaternary sediments from the Yermak Plateau, Arctic Ocean: evidence for four geomagnetic polarity events within the last 170 Ka of the Brunhes Chron (Nowaczyk, N.R., Frederichs, T.W., Eisenhauer, A., Gard, G.), **117,** 453
Late Palaeozoic–Mesozoic geomagnetic reversal paths and core–mantle boundary (Vizán, H., Somoza, R., Orgeira, M.J., Vásquez, C.A., Mena, M., Vilas, J.F.), **117,** 819
Linear inversion of geomagnetic inclination and declination (Mochizuki, E.), **119,** 349

Geothermal evaluation

Analytical solution of a basic geothermal equation (Wilhelm, H.), **119,** 684

Geothermics

Simulation of heat transfer at the Kola deep-hole site: implications for advection, heat refraction and palaeoclimatic effects (Kukkonen, I.T., Clauser, C.), **116,** 409

Germany

On the detectability of a highly conductive layer in the upper mantle beneath the Black Forest crystalline using magnetotelluric methods (Tezkan, B.), **118,** 185
Investigations of S_n and P_n phases in the area of the upper Rhine Graben and northern Switzerland (Plenefisch, T., Faber, S., Bonjer, K.-P.), **119,** 402

Gravity

A simple method to retrieve the complex eigenfrequency of the Earth's nearly diurnal-free wobble; application to the Strasbourg superconducting gravimeter data (Florsch, N., Chambat, F., Hinderer, J., Legros, H.), **116,** 53
A two-year comparison between the French and Canadian superconducting gravimeter data (Hinderer, J., Crossley, D., Xu, H.), **116,** 252
Lamé's problem of gravitational viscoelasticity: the isochemical, incompressible planet (Wolf, D.), **116,** 321
The density contrast at the Mohorovičič discontinuity (Martinec, Z.), **117,** 539
The minimum depth of compensation of topographic masses (Martinec, Z.), **117,** 545
Viscoelastic perturbations of the earth: significance of the incremental gravitational force in models of glacial isostasy (Amelung, F., Wolf, D.), **117,** 864
Why have the single force and torque been excluded from seismic source models? (Takei, Y., Kumazawa, M.), **118,** 20
Gravitational coupling in the Earth's interior revisited (Xu, S., Szeto, A.M.K.), **118,** 94
Effects of rigidity layering, gravity and stress relaxation on 3-D subsurface fault displacement fields (Ma, X.Q., Kusznir, N.J.), **118,** 201
Carlsberg Ridge, northern Indian Ocean: gravity and isostasy (Ashalatha, B., Subrahmanyam, C., Singh, R.N.), **119,** 69
The nearly diurnal free wobble resonance in gravity measured at Cantley, Quebec (Merriam, J.B.), **119,** 369
Improved gravimetric terrain corrections (Li, Y.C., Sideris, M.G.), **119,** 740
Singularity and branching: a path-following formalism for geophysical inverse problems (Vasco, D.W.), **119,** 809

Gravity anomalies

A simulation study of smoothness methods in recovery of regional gravity fields (Xu, P., Rummel, R.), **117,** 472
Seamount topography by least-squares inversion of altimetric geoid heights and shipborne profiles of bathymetry and/or gravity anomalies (Calmant, S.), **119,** 428
Crustal structure, gravity anomalies and flexure of the lithosphere in the vicinty of the Canary Islands (Watts, A.B.), **119,** 648

Greece

The 1953 earthquake in Cephalonia (Western Hellenic Arc): coastal uplift and halotectonic faulting (Stiros, S.C., Pirazzoli, P.A., Laborel, J., Laborel-Deguen, F.), **117,** 834
Palaeomagnetic evidence for block rotations in the western Greek Rhodope (Atzemoglou, A., Kondopoulou, D., Papamarinopoulos, S., Dimitriadis, S.), **118,** 221

Green's functions

Lamé's problem of gravitational viscoelasticity: the isochemical, incompressible planet (Wolf, D.), **116,** 321
Calculation of surface waves for a thin basin structure using a direct boundary element method with normal modes (Fujiwara, H., Takenaka, H.), **117,** 69
Elastodynamic fundamental solutions for anisotropic solids (Wang, C.-Y., Achenbach, J.D.), **118,** 384
Simplified dynamic and static Green's functions in transversely isotropic media (Dong, W., Schmitt, D.P.), **119,** 231

Guided waves

Non-axisymmetric guided waves in a composite cylinder with transversely isotropic core (Rattanawangcharoen, N., Datta, S.K., Shah, A.H.), **118,** 317
Acoustic reflection calculation using transfer matrices (Farnell, G.W.), **118,** 358

Haematite

Low-temperature demagnetization and ice-pressure demagnetization in magnetite and haematite (Borradaile, G.J.), **116,** 571

Heat flow

Simulation of heat transfer at the Kola deep-hole site: implications for advection, heat refraction and palaeoclimatic effects (Kukkonen, I.T., Clauser, C.), **116,** 409

Phase change and thermal subsidence of the Williston basin (Hamdani, Y., Mareschal, J.-C., Arkani-Hamed, J.), **116,** 585
Contrasts between source parameters of $M \geq 5.5$ earthquakes in northern Baja California and southern California (Doser, D.I.), **116,** 605
Convection with internal heat sources and thermal turbulence in the Earth's mantle (Travis, B., Olson, P.), **118,** 1
Heat advection versus conduction at the KTB: possible reasons for vertical variations in heat-flow density (Jobmann, M., Clauser, C.), **119,** 44

Himalayan Mountain Range

Magnetic-polarity stratigraphy of Siwalik Group sediments of Tinau Khola section in west central Nepal, revisited (Gautam, P., Appel, E.), **117,** 223
Mountain building and earth rotation (Vermeersen, L.L.A., Sabadini, R., Spada, G., Vlaar, N.J.), **117,** 610

Hotspots

A 57 Ma Pacific plate palaeomagnetic pole determined from a skewness analysis of crossings of marine magnetic anomaly 25r (Petronotis, K.E., Gordon, R.G., Acton, G.D.), **118,** 529

Iapetus Ocean

Early Silurian palaeolatitude of the Springdale Group redbeds of central Newfoundland: a palaeomagnetic determination with a remanence anisotropy test for inclination error (Hodych, J.P., Buchan, K.L.), **117,** 640

Iceland

The crustal magma chamber of the Katla volcano in south Iceland revealed by 2-D seismic undershooting (Gudmundsson, O., Brandsdottir, B., Menke, W., Sigvaldason, G.E.), **119,** 277
Seismic anisotropy in the crust at the mid-Atlantic plate boundary in south-west Iceland (Menke, W., Brandsdottir, B., Jakobsdottir, S., Stefansson, R.), **119,** 783

India

Location of the Africa–Australia–India triple junction and motion between the Australian and Indian plates: results from an aeromagnetic investigation of the Central Indian and Carlsberg ridges (DeMets, C., Gordon, R.G., Vogt, P.), **119,** 893

Inertia (moment of)

Effect of rotation and ellipticity on earth tides (Wang, R.), **117,** 562

Inhomogeneous media

Ray method of calculating the intensity of wavefronts in the case of a heterogeneous, anisotropic, elastic medium (Babich, V.M.), **118,** 379
Elastic wave propagation in a radially anisotropic medium (Boström, A., Johansson, M., Svedberg, T.), **118,** 401
An example of lateral-inhomogeneity effects on seismic traveltimes in a zero-offset VSP experiment (Ikelle, L.T., Yung, S.K.), **118,** 802
The phononic lattice solid by interpolation for modelling *P* waves in heterogeneous media (Huang, L.-J., Mora, P.), **119,** 766

Integral transforms

Global spherical harmonic analysis by least-squares and numerical quadrature methods in historical perspective (Sneeuw, N.), **118,** 707

Inverse problem

Calculation of sensitivities for the frequency-domain electromagnetic problem (McGillivray, P.R., Oldenburg, D.W., Ellis, R.G., Habashy, T.M.), **116,** 1
Existence of an optimal conductivity and Fréchet differentiability in 2-D electromagnetic inversion (Everett, M.E.), **117,** 111
The pole–pole 3-D DC-resistivity inverse problem: a conjugate-gradient approach (Ellis, R.G., Oldenburg, D.W.), **119,** 187
Bayesian statistics of non-linear inverse problems: example of the magnetotelluric 1-D inverse problem (Tarits, P., Jouanne, V., Menvielle, M., Roussignol, M.), **119,** 353
On non-uniqueness of the inverse problem for a seismic source—I. Treatment in terms of equivalent force (Pavlov, V.M.), **119,** 479
On non-uniqueness of the inverse problem for a seismic source—II. Treatment in terms of polynomial moment (Pavlov, V.M.), **119,** 487
Singularity and branching: a path-following formalism for geophysical inverse problems (Vasco, D.W.), **119,** 809

Inversion

Applied geophysical inversion (Ellis, R.G., Oldenburg, D.W.), **116,** 5
Regularized spherical harmonic analysis and the 3-D electromagnetic response of the Earth (Schultz, A., Zhang, T.S.), **116,** 141
Attenuation of multiphase surface waves in the Basin and Range Province—III. Inversion for crustal anelasticity (Mitchell B.J., Xie, J.-k.), **116,** 468
Inversion of 3-D DC resistivity data using an approximate inverse mapping (Li, Y., Oldenburg, D.W.), **116,** 527
The Somalia plate and the East African Rift System: present-day kinematics (Jestin, F., Huchon, P., Gaulier, J.M.), **116,** 637
Source mechanism of the 1992 Roermond earthquake from surface-wave inversion of regional data (Braunmiller, J., Dahm, T., Bonjer, K.-P.), **116,** 663
Linearized waveform inversion of local and near-regional events for source mechanism and rupturing processes (Mao, W.J., Panza, G.F., Suhadolc, P.), **116,** 784
Inversion of reflection seismic amplitude data for interface geometry (Wang, Y., Houseman, G.A.), **117,** 92
Vertical seismic profile inversion with genetic algorithms (Nolte, B., Frazer, L.N.), **117,** 162
Interpretation of long-period magnetotelluric soundings in Friuli (north-east Italy) and the electrical characteristics of the lithosphere (Braitenberg, C., Capuano, P., Gasparini, P., Zadro, M.), **117,** 196
Theory and parameter-optimization method for inversion of the tectonophysical model (Zhao, S.), **117,** 665
Shear-wave velocity variations in the upper mantle beneath central Europe (Zielhuis, A., Nolet, G.), **117,** 695
Resolving a low-velocity zone with surface-wave data (van Heijst, H.J., Snieder, R., Nowack, R.), **118,** 333
Upper-mantle velocity structure beneath the Siberian platform (Priestley, K., Cipar, J., Egorkin, A., Pavlenkova, N.), **118,** 369
Deep electromagnetic sounding in Turkmenia (Avdeev, D.B., Dubrovsky, V.G., Fainberg, E.B., Pankratov, O.V., Zinger, B.Sh.), **118,** 467
3-D velocity structure from simultaneous traveltime inversion of in-line seismic data along intersecting profiles (Zelt, C.A.), **118,** 795
Linear inversion of geomagnetic inclination and declination (Mochizuki, E.), **119,** 349
Seamount topography by least-squares inversion of altimetric geoid heights and shipborne profiles of bathymetry and/or gravity anomalies (Calmant, S.), **119,** 428
Biased estimation: a simple framework for inversion and uncertainty analysis with prior information (Meju, M.A.), **119,** 521
Migration/inversion for transversely isotropic elastic media (Eaton, D.W.S., Stewart, R.R.), **119,** 667
On the linearized *SH*-wave inverse problem of a transversely isotropic elastic medium (Tura, M.A.C.), **119,** 729
Asymptotic theory for diffusive electromagnetic imaging (Virieux, J., Flores-Luna, C., Gibert, D.,), **119,** 857
3-D inversion in subsurface electrical surveying—I. Theory (Dabas, M., Tabbagh, A., Tabbagh, J.), **119,** 975

Iran

Pn velocities beneath continental collision zones: the Turkish–Iranian Plateau (Hearn, T.M., Ni, J.F.), **117,** 273
Faulting process of the 1990 June 20 Iran earthquake from broad-band records (Campos, J., Madariaga, R., Nábělek, J., Bukchin, B.G., Deschamps, A.), **118,** 31
Implications of earthquake focal mechanism data for the active tectonics of the south Caspian Basin and surrounding regions (Priestley, K., Baker, C., Jackson, J.), **118,** 111

Isostasy

Viscoelastic perturbations of the earth: significance of the incremental gravitational force in models of glacial isostasy (Amelung, F., Wolf, D.), **117,** 864
On the growth and collapse of wide orogenic belts (Sun, J., Murrell, S.A.F.), **118,** 255
Carlsberg Ridge, northern Indian Ocean: gravity and isostasy (Ashalatha, B., Subrahmanyam, C., Singh, R.N.), **119,** 69

Italy

Interpretation of long-period magnetotelluric soundings in Friuli (north-east Italy) and the electrical characteristics of the lithosphere (Braitenberg, C., Capuano, P., Gasparini, P., Zadro, M.), **117,** 196
Seismic structure of gneissic/granitic upper crust: geological and petrophysical evidence from the Strona–Ceneri Zone (northern Italy) and implications for crustal seismic exploration (Holliger, K., Levander, A.), **119,** 497

Korea

Palaeomagnetism of the (Upper Palaeozoic–Lower Mesozoic) Pyongan
Supergroup, Korea: a Phanerozoic Link with the North China Block (Doh, S.-J., Piper, J.D.A.), **117,** 850

Lateral heterogeneity

Ground motion at mountains and sedimentary basins with vertical seismic velocity gradient (Benites, R., Aki, K.), **116,** 95
Long-period surface waves and mantle boundary undulations (Ritzwoller, M.H., Lavely, E.M.), **116,** 205
Calculation of surface waves for a thin basin structure using a direct boundary element method with normal modes (Fujiwara, H., Takenaka, H.), **117,** 69
A coupled local-mode analysis of surface-wave propagation in a laterally heterogeneous waveguide (Tromp, J.), **117,** 153
The nature and cause of polarization anomalies of surface waves crossing northern and central Eurasia (Levshin, A.L., Ritzwoller, M.H., Ratnikova, L.I.), **117,** 577
Thin superficial layer and lateral heterogeneities in southern Sweden using short-period Rayleigh-wave dispersion (Åström, K., Lund C.-E.), **118,** 231
Teleseismic synthetics obtained from 3-D calculations in 2-D media (Okamoto, T.), **118,** 613
JWKB surface-wave seismograms on a laterally heterogeneous earth (Wang, Z., Dahlen, F.A.), **119,** 381

Layered media

Effects of rigidity layering, gravity and stress relaxation on 3-D subsurface fault displacement fields (Ma, X.Q., Kusznir, N.J.), **118,** 201
Representations of the seismic wavefield (Kennett, B.L.N.), **118,** 344
Acoustic reflection calculation using transfer matrices (Farnell, G.W.), **118,** 358
Wave propagation in polar elastic superlattices (Green, W.A., Green, E.R.), **118,** 459

Levant

Spectral characteristics of seismic events off the coast of the Levant (Gitterman, Y., Shapira, A.), **116,** 485

Lithosphere

Downward continuation of Magsat lithospheric anomalies to the Earth's surface (Whaler, K.A.), **116,** 267
Phase change and thermal subsidence of the Williston basin (Hamdani, Y., Mareschal, J.-C., Arkani-Hamed, J.), **116,** 585
A finite-difference technique to incorporate spatial variations in rigidity and planar faults into 3-D models for lithospheric flexure (van Wees, J.D., Cloetingh, S.), **117,** 179
Interpretation of long-period magnetotelluric soundings in Friuli (north-east Italy) and the electrical characteristics of the lithosphere (Braitenberg, C., Capuano, P., Gasparini, P., Zadro, M.), **117,** 196
Resolving a low-velocity zone with surface-wave data (van Heijst, H.J., Snieder, R., Nowack, R.), **118,** 333
Seismic wave propagation in complex crustupper mantle media using 2-D finite-difference synthetics (Hestholm, S.O., Husebye,
E.S., Ruud, B.O.), **118,** 643
Lithospheric flexure on Venus (Johnson, C.L., Sandwell, D.T.), **119,** 627
Crustal structure, gravity anomalies and flexure of the lithosphere in the vicinty of the Canary Islands (Watts, A.B.), **119,** 648

Love waves

Effect of rotation and ellipticity on earth tides (Wang, R.), **117,** 562
On the linearized *SH*-wave inverse problem of a transversely isotropic elastic medium (Tura, M.A.C.), **119,** 729

Magnetic anomalies

Downward continuation of Magsat lithospheric anomalies to the Earth's surface (Whaler, K.A.), **116,** 267
A 57 Ma Pacific plate palaeomagnetic pole determined from a skewness analysis of crossings of marine magnetic anomaly 25r (Petronotis, K.E., Gordon, R.G., Acton, G.D.), **118,** 529

Magnetic polarity

Magnetic-polarity stratigraphy of Siwalik Group sediments of Tinau Khola section in west central Nepal, revisited (Gautam, P., Appel, E.), **117,** 223

Magnetic susceptibility

Magnetic pore fabric analysis: a rapid method for estimating permeability anisotropy (Pfleiderer, S., Halls, H.C.), **116,** 39
Magnetic-polarity stratigraphy of Siwalik Group sediments of Tinau Khola section in west central Nepal, revisited (Gautam, P., Appel, E.), **117,** 223
Magnetic enhancement and palaeoclimate: study of a loess/palaeosol couplet across the Loess Plateau of China (Evans, M.E., Heller, F.), **117,** 257
Magnetic enhancement of Chinese loess—the role of γFe_2O_3? (Eyre, J.K., Shaw, J.), **117,** 265
Correction for deviations due to magnetic anisotropy of palaeomagnetic directions from the Mulcahy Gabbro, north-west Ontario (Gala, M.G., Palmer, H.C.), **118,** 485
A technique for the measurement of thermal changes of magnetic susceptibility of weakly magnetic rocks by the CS-2 apparatus and KLY-2 Kappabridge (Hrouda, F.), **118,** 604
The frequency dependence of low field susceptibility in loess sediments (Forster, Th., Evans, M.E., Heller, F.), **118,** 636

Magnetite

Low-temperature demagnetization and ice-pressure

demagnetization in magnetite and haematite (Borradaile, G.J.), **116,** 571
The angular dependence of the median destructive field of magnetite particles (Stephenson, A., Shao, J.C.), **118,** 181
Characteristics of magnetite in submarine basaltic glass (Pick, T., Tauxe, L.), **119,** 116
Palaeomagnetic investigation of Middle Devonian limestones of Algeria and the Gondwana reconstruction (Smith, B., Moussine-Pouchkine, A., Ahmed, A.A.K.), **119,** 166

Magnetization

Low-temperature demagnetization and ice-pressure demagnetization in magnetite and haematite (Borradaile, G.J.), **116,** 571
Thermally activated magnetic viscosity in natural multidomain titanomagnetite (Bina, M.M., Prévot, M.), **117,** 495
The Shaw method of palaeointensity determinations and its application to recent volcanic rocks (Tsunakawa, H., Shaw, J.), **118,** 781
Magnetic properties and rotational hysteresis of a basalt with homogeneous Ti-rich titanomagnetite grains 10–20 μm in diameter (Schmidbauer, E., Keller, R.), **119,** 880
Statistical treatment of crustal magnetization (Jackson, A.), **119,** 991

Magnetosphere

The magnetostrophic rise of a buoyant parcel in the Earth's core (Moffatt, H.K., Loper, D.E.), **117,** 394

Magnetostratigraphy

Magnetic-polarity stratigraphy of Siwalik Group sediments of Tinau Khola section in west central Nepal, revisited (Gautam, P., Appel, E.), **117,** 223
Magnetostratigraphic data from late Quaternary sediments from the Yermak Plateau, Arctic Ocean: evidence for four geomagnetic polarity events within the last 170 Ka of the Brunhes Chron (Nowaczyk, N.R., Frederichs, T.W., Eisenhauer, A., Gard, G.), **117,** 453

Magnetotellurics

Crustal conductors along the SVEKA Profile in the Fennoscandian (Baltic) Shield, Finland (Korja, T., Koivukoski, K.), **116,** 173
A magnetotelluric investigation of the Araguainha impact structure in Mato Grosso-Goiás, central Brazil (Masero, W., Schnegg, P.-A., Fontes, S.L.), **116,** 366
Electromagnetic mode conversion by surface-conductivity anomalies: applications for conductivity soundings (Ferguson, I.J., Edwards, R.N.), **117,** 48
Interpretation of long-period magnetotelluric soundings in Friuli (north-east Italy) and the electrical characteristics of the lithosphere (Braitenberg, C., Capuano, P., Gasparini, P., Zadro, M.), **117,** 196
A model of crustal conductive structure in the Canadian Cordillera (Majorowicz, J.A., Gough, D.I.), **117,** 301
Local 1-D interpretation of magnetotelluric B-polarization impedances (Weidelt, P., Kaikkonen, P.), **117,** 733
On the detectability of a highly conductive layer in the upper mantle beneath the Black Forest crystalline using magnetotelluric methods (Tezkan, B.), **118,** 185
Bayesian statistics of non-linear inverse problems: example of the magnetotelluric 1-D inverse problem (Tarits, P., Jouanne, V., Menvielle, M., Roussignol, M.), **119,** 353
Rotational properties of the magnetotelluric impedance tensor: the example of the Arguainha impact crater, Brazil (Fischer, G., Masero, W.), **119,** 548

Magsat

Downward continuation of Magsat lithospheric anomalies to the Earth's surface (Whaler, K.A.), **116,** 267

Mantle

Long-period surface waves and mantle boundary undulations (Ritzwoller, M.H., Lavely, E.M.), **116,** 205
Pn velocities beneath continental collision zones: the Turkish–Iranian Plateau (Hearn, T.M., Ni, J.F.), **117,** 273
Mountain building and earth rotation (Vermeersen, L.L.A., Sabadini, R., Spada, G., Vlaar, N.J.), **117,** 610
Shear-wave velocity variations in the upper mantle beneath central Europe (Zielhuis, A., Nolet, G.), **117,** 695
Shear-wave splitting in the mantle of the Pacific (Farra, V., Vinnik, L.), **119,** 195

Mantle convection

Turbulent 3-D thermal convection in an infinite Prandtl number, volumetrically heated fluid: implications for mantle dynamics (Parmentier, E.M., Sotin, C., Travis, B.J.), **116,** 241
The unifying role of aspect ratio in cylindrical models of mantle convection with varying degrees of curvature (Jarvis, G.T.), **117,** 419
Influence of mantle compressibility and ocean warping on dynamical models of the geoid (Thoraval, C., Machetel, P., Cazenave, A.), **117,** 566
Convection with internal heat sources and thermal turbulence in the Earth's mantle (Travis, B., Olson, P.), **118,** 1

Mantle discontinuities

Long-period surface waves and mantle boundary undulations (Ritzwoller, M.H., Lavely, E.M.), **116,** 205
The trade-off between volumetric and topographic structure for seismic traveltimes: 660 km topography and mantle structure (Rodgers, A., Wahr, J.), **117,** 19
Multiples as precursors to *S, SKS* and *ScS* (Bock, G.), **119,** 421

Mantle rheology

Mantle rheology, viscomagnetic coupling at the core–mantle boundary and differential rotation of the core induced by Pleistocenic deglaciation (Lefftz, M., Sabadini, R., Legros, H.), **117,** 1

Mantle viscosity

Mantle rheology, viscomagnetic coupling at the core–mantle boundary and differential rotation of the core induced by Pleistocenic deglaciation (Lefftz, M., Sabadini, R., Legros, H.), **117,** 1

Mediterranean

Constraints on the seismotectonics of the central Mediterranean from Very Long Baseline Interferometry (Ward, S.N.), **117,** 441
Moho and lower crustal reflectivity beneath a young rift basin: results from a two-ship, wide-aperture seismic-reflection experiment in the Valencia Trough (western Mediterranean) (Collier, J.S., Buhl, P., Torné, M., Watts, A.B.), **118,** 159

Mexico

Detection of anomalous seismic phases by the wavelet transform (Yomogida, K.), **116,** 119
Contrasts between source parameters of $M \geq 5.5$ earthquakes in northern Baja California and southern California (Doser, D.I.), **116,** 605
Bayesian attenuation regressions: an application to Mexico City (Ordaz, M., Singh, S.K., Arciniega, A.), **117,** 335

Microearthquakes

Determination of seismogenic interplate contact zone and crustal

seismicity around Antofagasta, northern Chile using local data (Comte, D., Pardo, M., Dorbath, L., Dorbath, C., Haessler, H., Rivera, L., Cisternas, A., Ponce, L.), **116,** 553
Seismic anisotropy in the crust at the mid-Atlantic plate boundary in south-west Iceland (Menke, W., Brandsdottir, B., Jakobsdottir, S., Stefansson, R.), **119,** 783

Mid-Atlantic Ridge

Seismic anisotropy in the crust at the mid-Atlantic plate boundary in south-west Iceland (Menke, W., Brandsdottir, B., Jakobsdottir, S., Stefansson, R.), **119,** 783

Mid-ocean ridges

Exploration of mid-ocean ridges with a frequency-domain electromagnetic system (Unsworth, M.), **116,** 447

Mineralogy

Inversion of 3-D DC resistivity data using an approximate inverse mapping (Li, Y., Oldenburg, D.W.), **116,** 527
Magnetic enhancement of Chinese loess—the role of γFe_2O_3? (Eyre, J.K., Shaw, J.), **117,** 265
Geophysical evidence for ultrawide dykes of the late Carboniferous quartz-dolerite swarms of northern Britain (Smythe, D.K.), **119,** 20

Mode coupling

A coupled local-mode analysis of surface-wave propagation in a laterally heterogeneous waveguide (Tromp, J.), **117,** 153

Moho discontinuity

Convective coupling between ductile lower crust and upper mantle, and its tectonic implications (Nakada, M.), **118,** 579

Moho reflection

The density contrast at the Mohorovičič discontinuity (Martinec, Z.), **117,** 539
Enhanced backscattering of seismic waves from a highly irregular, random interface: *P–SV* case (Schultz, C.A., Toksöz, M.N.), **117,** 783
Moho and lower crustal reflectivity beneath a young rift basin: results from a two-ship, wide-aperture seismic-reflection experiment in the Valencia Trough (western Mediterranean) (Collier, J.S., Buhl, P., Torné, M., Watts, A.B.), **118,** 159

Mount Etna

Is there a correlation between larger local earthquakes and the end of eruptions at Mount Etna volcano, Sicily? (Gresta, S., Marzocchi, W., Mulargia, F.), **116,** 230

New Zealand

A simple method for estimating the horizontal velocity field in wide zones of active deformation—II. Examples from New Zealand, Central Asia and Chile (Lamb, S.), **119,** 313

Normal modes

Calculation of surface waves for a thin basin structure using a direct boundary element method with normal modes (Fujiwara, H., Takenaka, H.), **117,** 69
Mountain building and earth rotation (Vermeersen, L.L.A., Sabadini, R., Spada, G., Vlaar, N.J.), **117,** 610

North America

Isotropic and deviatoric characterization of the Coalora nuclear explosion in Yucca Flats (Stump, B.W., Reinke, R.E., Olsen, K.H., Johnson, L.R.), **116,** 538
Phase change and thermal subsidence of the Williston basin (Hamdani, Y., Mareschal, J.-C., Arkani-Hamed, J.), **116,** 585
Palaeozoic palaeogeography of Laurentia and its margins: a reassessment of palaeomagnetic data (Mac Niocaill, C., Smethurst, M.A.), **116,** 715
Modified frequency-wavenumber algorithm for regional seismograms using Filon's quadrature: modelling of *Lg* waves in eastern North America (Saikia, C.K.), **118,** 142

North Atlantic

Dynamic topography estimates using *Geosat* data and a gravimetric geoid in the Gulf Stream region (Rapp, R.H., Wang, Y.M.), **117,** 511

Norway

Seismic refraction crustal study along the Sognefjord, south-west Norway, employing ocean-bottom seismometers (Iwasaki, T., Sellevoll, M.A., Kanazawa, T., Veggeland, T., Shimamura, H.), **119,** 791

Nuclear explosions

Isotropic and deviatoric characterization of the Coalora nuclear explosion in Yucca Flats (Stump, B.W., Reinke, R.E., Olsen, K.H., Johnson, L.R.), **116,** 538
Empirical measurements of tectonic moment release in nuclear explosions from teleseismic surface waves and body waves (Ekström, G., Richards, P.G.), **117,** 120
Analysis of historical seismograms–root mean square *Lg* magnitudes, yields and depths of explosions at the Semipalatinsk Test Range (Israelsson, H.), **117,** 591
Upper-mantle velocity structure beneath the Siberian platform (Priestley, K., Cipar, J., Egorkin, A., Pavlenkova, N.), **118,** 369
Modelling local seismograms of French nuclear tests in Taourirt tan Afella massif, Hoggar, Algeria (Gaffet, S., Massinon, B., Plantet, J.-L., Cansi, Y.), **119,** 964

Oceanic crust

Constraints on the large-scale porosity and permeability structure of young oceanic crust from velocity and resistivity data (Evans, R.L.), **119,** 869

Oceanic lithosphere

A global analysis of mid-ocean ridge axial topography (Small, C.), **116,** 64

Oceans

Influence of mantle compressibility and ocean warping on dynamical models of the geoid (Thoraval, C., Machetel, P., Cazenave, A.), **117,** 566
Improved smoothing of an altimetric ocean-tide model with global Proudman functions (Ray, R.D., Sanchez, B.V.), **118,** 788

Orogeny

On the growth and collapse of wide orogenic belts (Sun, J., Murrell, S.A.F.), **118,** 255

***P* waves**

Array analysis of the large-aperture array of the 1988–89

PASSCAL Basin and Range Passive-Source Seismic Experiment (Randall, G.E., Owens, T.J.), **116,** 618
Source parameters for the Roermond aftershocks of 1992 April 13–May 2 and site spectra for *P* and *S* waves at the Belgian seismic network (Oncescu, M.-C., Camelbeeck, T., Martin, H.), **116,** 673
P-wave propagation in weakly anisotropic media (Sayers, C.M.), **116,** 799
Multiple isotropic scattering model including *P–S* conversions for the seismogram envelope formation (Sato, H.), **117,** 487
Velocity structure in northern Chile: evidence of subducted oceanic crust in the Nazca Plate (Comte, D., Roecker, S.W., Suárez, G.), **117,** 625
Enhanced backscattering of seismic waves from a highly irregular, random interface: *P–SV* case (Schultz, C.A., Toksöz, M.N.), **117,** 783
Traveltime and amplitude anomalies at the seismic broad-band array GRF (Weber, M.), **118,** 57
Upper-mantle velocity structure beneath the Siberian platform (Priestley, K., Cipar, J., Egorkin, A., Pavlenkova, N.), **118,** 369
Kinematic inversion for the 2-D horizontal and vertical *qP*-wave velocities and depths to interfaces applied to the TACT seismic profile, southern Alaska (Boztepe, E.A., Braile, L.W.), **119,** 529
The velocity structure of the crust and upper mantle under China from broad-band *P* and *PP* waveform analysis (Beckers, J., Schwartz, S.Y., Lay, T.), **119,** 574
3-D velocity structure of the San Jacinto fault zone near Anza, California—I. *P* waves (Scott, J.S., Masters, T.G., Vernon, F.L.), **119,** 611
The phononic lattice solid by interpolation for modelling *P* waves in heterogeneous media (Huang, L.-J., Mora, P.), **119,** 766

Pacific region

Shear-wave splitting in the mantle of the Pacific (Farra, V., Vinnik, L.), **119,** 195

Palaeoclimate

Magnetic enhancement and palaeoclimate: study of a loess/palaeosol couplet across the Loess Plateau of China (Evans, M.E., Heller, F.), **117,** 257
The frequency dependence of low field susceptibility in loess sediments (Forster, Th., Evans, M.E., Heller, F.), **118,** 636

Palaeogeography

Palaeozoic palaeogeography of Laurentia and its margins: a reassessment of palaeomagnetic data (Mac Niocaill, C., Smethurst, M.A.), **116,** 715
New Late Eocene pole for Australia, time-averaging of remanence directions, and palaeogeographic reference systems (Idnurm, M.), **117,** 827
Implications of palaeomagnetic data from the Tortworth Silurian inlier (southern Britain) to palaeogeography and Variscan tectonism (Torsvik, T.H., Trench, A., McKerrow, W.S.), **119,** 91

Palaeointensity

Relative palaeointensity records from the Ontong–Java Plateau (Tauxe, L., Shackleton, N.J.), **117,** 769
Middle/Late Pleistocene relative palaeointensity of the geomagnetic field from lacustrine sediments, Lake Chewaucan, western United States (Roberts, A.P., Verosub, K.L., Negrini, R.M.), **118,** 101
The Shaw method of palaeointensity determinations and its application to recent volcanic rocks (Tsunakawa, H., Shaw, J.), **118,** 781

Palaeolatitude

Early Silurian palaeolatitude of the Springdale Group redbeds of central Newfoundland: a palaeomagnetic determination with a remanence anisotropy test for inclination error (Hodych, J.P., Buchan, K.L.), **117,** 640

Palaeomagnetism

Palaeomagnetism of the Stephano–Autunian Lower Tiguentourine formations from stable Saharan craton (Algeria) (Derder, M.E.-M., Henry, B., Merabet, N.-E., Daly, L.), **116,** 12
New palaeomagnetic constraints on the position of central Bohemia during Early Ordovician times (Tait, J., Bachtadse, V., Soffel, H.), **116,** 131
Determination of geomagnetic palaeointensities from the Quaternary West Eifel volcanic field, Germany (Schnepp, E.), **116,** 688
Palaeozoic palaeogeography of Laurentia and its margins: a reassessment of palaeomagnetic data (Mac Niocaill, C., Smethurst, M.A.), **116,** 715
Early Silurian palaeolatitude of the Springdale Group redbeds of central Newfoundland: a palaeomagnetic determination with a remanence anisotropy test for inclination error (Hodych, J.P., Buchan, K.L.), **117,** 640
Palaeomagnetism of the (Upper Palaeozoic–Lower Mesozoic) Pyongan Supergroup, Korea: a Phanerozoic Link with the North China Block (Doh, S.-J., Piper, J.D.A.), **117,** 850
Middle/Late Pleistocene relative palaeointensity of the geomagnetic field from lacustrine sediments, Lake Chewaucan, western United States (Roberts, A.P., Verosub, K.L., Negrini, R.M.), **118,** 101
Palaeomagnetic evidence for block rotations in the western Greek Rhodope (Atzemoglou, A., Kondopoulou, D., Papamarinopoulos, S., Dimitriadis, S.), **118,** 221
Correction for deviations due to magnetic anisotropy of palaeomagnetic directions from the Mulcahy Gabbro, north-west Ontario (Gala, M.G., Palmer, H.C.), **118,** 485
A 57 Ma Pacific plate palaeomagnetic pole determined from a skewness analysis of crossings of marine magnetic anomaly 25r (Petronotis, K.E., Gordon, R.G., Acton, G.D.), **118,** 529
Implications of palaeomagnetic data from the Tortworth Silurian inlier (southern Britain) to palaeogeography and Variscan tectonism (Torsvik, T.H., Trench, A., McKerrow, W.S.), **119,** 91
Palaeomagnetic investigation of Middle Devonian limestones of Algeria and the Gondwana reconstruction (Smith, B., Moussine-Pouchkine, A., Ahmed, A.A.K.), **119,** 166
Cretaceous palaeomagnetic results from Murge (Apulia, southern Italy): tectonic implications (Márton, E., Nardi, G.), **119,** 842

Permeability

Magnetic pore fabric analysis: a rapid method for estimating permeability anisotropy (Pfleiderer, S., Halls, H.C.), **116,** 39
Investigation of permeable fracture zones by tube-wave analysis (Li, Y.D., Rabbel, W., Wang, R.), **116,** 739
Microseismic properties of a homogeneous sandstone during fault nucleation and frictional sliding (Liakopoulou-Morris, F., Main, I.G., Crawford, B.R., Smart, B.G.D.), **119,** 219
Constraints on the large-scale porosity and permeability structure of young oceanic crust from velocity and resistivity data (Evans, R.L.), **119,** 869

Perturbation methods

Body waves in a weakly anisotropic medium—I. Plane waves (Kiselev, A.P.), **118,** 393
Acoustoelasticity of solid/fluid composite systems (Norris, A.N., Sinha, B.K., Kostek, S.), **118,** 439
Free oscillations of elastically anisotropic spheres and ellipsoids (Oda, H., Hirao, J., Suzuki, I., Visscher, W.M., Anderson, O.L.), **118,** 555
Understanding finite-frequency wave phenomena: phase-ray formulation and inhomogeneity scattering (Zhu, T., Chun, K.-Y.), **119,** 78
Complex rays in elastic and anelastic media (Zhu, T., Chun, K.-Y.), **119,** 269

JWKB surface-wave seismograms on a laterally heterogeneous earth (Wang, Z., Dahlen, F.A.), **119,** 381

Phase transitions

Phase change and thermal subsidence of the Williston basin (Hamdani, Y., Mareschal, J.-C., Arkani-Hamed, J.), **116,** 585

Plate convergence

Location of the Africa–Australia–India triple junction and motion between the Australian and Indian plates: results from an aeromagnetic investigation of the Central Indian and Carlsberg ridges (DeMets, C., Gordon, R.G., Vogt, P.), **119,** 893

Plate divergence

Location of the Africa–Australia–India triple junction and motion between the Australian and Indian plates: results from an aeromagnetic investigation of the Central Indian and Carlsberg ridges (DeMets, C., Gordon, R.G., Vogt, P.), **119,** 893

Polarization

The nature and cause of polarization anomalies of surface waves crossing northern and central Eurasia (Levshin, A.L., Ritzwoller, M.H., Ratnikova, L.I.), **117,** 577
Local 1-D interpretation of magnetotelluric B-polarization impedances (Weidelt, P., Kaikkonen, P.), **117,** 733
The study of elastic symmetry and anisotropy of elastic body waves in gneiss (Aleksandrov, K.S., Prodayvoda, G.T.), **119,** 715

Porosity

Magnetic pore fabric analysis: a rapid method for estimating permeability anisotropy (Pfleiderer, S., Halls, H.C.), **116,** 39
Experimental observations of the elastic and inelastic behaviour of porous sandstones (Bernabé, Y., Fryer, D.T., Shively, R.M.), **117,** 403
Thin superficial layer and lateral heterogeneities in southern Sweden using short-period Rayleigh-wave dispersion (Åström, K., Lund C.-E.), **118,** 231
Constraints on the large-scale porosity and permeability structure of young oceanic crust from velocity and resistivity data (Evans, R.L.), **119,** 869

Radiation patterns

Empirical measurements of tectonic moment release in nuclear explosions from teleseismic surface waves and body waves (Ekström, G., Richards, P.G.), **117,** 120
Elastodynamic fundamental solutions for anisotropic solids (Wang, C.-Y., Achenbach, J.D.), **118,** 384
Elastic wave propagation in a radially anisotropic medium (Boström, A., Johansson, M., Svedberg, T.), **118,** 401

Radioactivity

Influence of climate on the radioactivity of lake and sea sediments: first results (Liritzis, I., Galloway, R.B., Kovacheva, M., Kalcheva, V.B.), **116,** 683

Ray theory

A Maslov–Chapman wavefield representation for wide-angle one-way propagation (Brown, M.G.), **116,** 513
Characterizing long-period seismic effects of long-wavelength elastic and anelastic models (Resovsky, J.S., Ritzwoller, M.H.), **117,** 365
Ray method of calculating the intensity of wavefronts in the case of a heterogeneous, anisotropic, elastic medium (Babich, V.M.), **118,** 379
Global tomography from Rayleigh and Love wave dispersion: effect of ray-path bending (Pollitz, F.F.), **118,** 730

Ray tracing

An automated ray method for diffraction modelling in complex media (Klaeschen, D., Rabbel, W., Flueh, E.R.), **116,** 23
Synthetic seismograms for *SH* waves in anelastic transversely isotropic media (Le, L.H.T., Krebes, E.S., Quiroga-Goode, G.E.), **116,** 598
3-D network ray tracing (Klimeš, L., Kvasnička, M.), **116,** 726
The wavelength-smoothing method for approximating broad-band wave propagation through complicated velocity structures (Lomax, A.), **117,** 313
Numerical simulation of high- and low-frequency *Lg*-wave propagation (Gibson, R.L., Jr, Campillo, M.), **118,** 47

Rayleigh waves

The structure of the Nazca ridge and Sala y Gomez seamount chain from the dispersion of Rayleigh waves (Woods, M.T., Okal, E.A.), **117,** 205
Thin superficial layer and lateral heterogeneities in southern Sweden using short-period Rayleigh-wave dispersion (Åström, K., Lund C.-E.), **118,** 231

Red Sea

The Somalia plate and the East African Rift System: present-day kinematics (Jestin, F., Huchon, P., Gaulier, J.M.), **116,** 637

Remanent magnetization

Palaeomagnetism of the Stephano–Autunian Lower Tiguentourine formations from stable Saharan craton (Algeria) (Derder, M.E.-M., Henry, B., Merabet, N.-E., Daly, L.), **116,** 12
Magnetic-polarity stratigraphy of Siwalik Group sediments of Tinau Khola section in west central Nepal, revisited (Gautam, P., Appel, E.), **117,** 223
Correction for deviations due to magnetic anisotropy of palaeomagnetic directions from the Mulcahy Gabbro, north-west Ontario (Gala, M.G., Palmer, H.C.), **118,** 485

Reply

Reply to 'Can magnetic-force microscopy determine micromagnetic structures?' by Grütter and Allenspach (Williams, W., Hoffmann, V., Heider, F., Göddenhenrich, T., Heiden, C.), **116,** 506
Reply to comment by A. M. Smith and D. G. Vaughan (Tezkan, B., Yaramanci, U.), **118,** 811
Reply to the comment by J. E. T. Channell and J. S. Stoner on 'Magnetostratigraphy of the Hettangian Langmoos section (Adnet, Austria): evidence for time-delayed phases of magnetization' (Gallet, Y., Vandamme, D., Krystyn, L.), **119,** 1008
Reply to comment by Stamatakos et al. on 'Early Silurian palaeolatitude of the Springdale Group redbeds of central Newfoundland: a palaeomagnetic determination with a remanence anisotropy test for inclination error' (Hodych, J.P., Buchan, K.L.), **119,** 1014

Rheology

Rheology heterogeneities on fault surfaces inferred from the time history of afterslip events (Belardinelli, M.E., Bonafede, M.), **116,** 349
On the growth and collapse of wide orogenic belts (Sun, J., Murrell, S.A.F.), **118,** 255

A rheological model for anelastic anisotropic media with applications to seismic wave propagation (Carcione, J.M., Cavallini, F.), **119,** 338
Lithospheric flexure on Venus (Johnson, C.L., Sandwell, D.T.), **119,** 627
Evaluation of the importance of model features for cyclic deformation due to dip-slip faulting (Cohen, S.C.), **119,** 831

Rifts

The Somalia plate and the East African Rift System: present-day kinematics (Jestin, F., Huchon, P., Gaulier, J.M.), **116,** 637
A finite-difference technique to incorporate spatial variations in rigidity and planar faults into 3-D models for lithospheric flexure (van Wees, J.D., Cloetingh, S.), **117,** 179
Moho and lower crustal reflectivity beneath a young rift basin: results from a two-ship, wide-aperture seismic-reflection experiment in the Valencia Trough (western Mediterranean) (Collier, J.S., Buhl, P., Torné, M., Watts, A.B.), **118,** 159
Convective coupling between ductile lower crust and upper mantle, and its tectonic implications (Nakada, M.), **118,** 579
Carlsberg Ridge, northern Indian Ocean: gravity and isostasy (Ashalatha, B., Subrahmanyam, C., Singh, R.N.), **119,** 69

Rock fracture

Numerical simulation of faults and shear zones (Donzé, F., Mora, P., Magnier, S.-A.), **116,** 46
Experimental observations of the elastic and inelastic behaviour of porous sandstones (Bernabé, Y., Fryer, D.T., Shively, R.M.), **117,** 403

Rock magnetism

Determination of geomagnetic palaeointensities from the Quaternary West Eifel volcanic field, Germany (Schnepp, E.), **116,** 688
Relative palaeointensity records from the Ontong–Java Plateau (Tauxe, L., Shackleton, N.J.), **117,** 769
Middle/Late Pleistocene relative palaeointensity of the geomagnetic field from lacustrine sediments, Lake Chewaucan, western United States (Roberts, A.P., Verosub, K.L., Negrini, R.M.), **118,** 101
Characteristics of magnetite in submarine basaltic glass (Pick, T., Tauxe, L.), **119,** 116
Magnetic properties and rotational hysteresis of a basalt with homogeneous Ti-rich titanomagnetite grains 10–20 μm in diameter (Schmidbauer, E., Keller, R.), **119,** 880

Rough surface

Surface acoustic waves of sagittal and shear-horizontal polarizations on large-amplitude gratings (Maradudin, A.A., Zierau, W.), **118,** 325

Russia

Simulation of heat transfer at the Kola deep-hole site: implications for advection, heat refraction and palaeoclimatic effects (Kukkonen, I.T., Clauser, C.), **116,** 409
The use of velocity spectrum for stacking receiver functions and imaging upper mantle discontinuities (Gurrola, H., Minster, J.B., Owens, T.), **117,** 427

S waves

Seismicity and structural complexity of the Dinkelberg block, southern Rhine Graben (Faber, S., Bonjer, K.-P., Brüstle, W., Deichmann, N.), **116,** 393
Source parameters for the Roermond aftershocks of 1992 April 13–May 2 and site spectra for *P* and *S* waves at the Belgian seismic network (Oncescu, M.-C., Camelbeeck, T., Martin, H.), **116,** 673
Multiple isotropic scattering model including *P–S* conversions for the seismogram envelope formation (Sato, H.), **117,** 487
The problem of water-column multiples for processing converted *S* waves in marine VSP data (MacBeth, C., Liu, E.), **119,** 999

San Andreas Fault

The interpretation of shear-wave splitting parameters in the presence of two anisotropic layers (Silver, P.G., Savage, M.K.), **119,** 949

Scattering

Multiple isotropic scattering model including *P–S* conversions for the seismogram envelope formation (Sato, H.), **117,** 487
Overall properties of a material with inclusions or cavities (Hudson, J.A.), **117,** 555
Formulation of the multiple non-isotropic scattering process in 2-D space on the basis of energy-transport theory (Sato, H.), **117,** 727
Enhanced backscattering of seismic waves from a highly irregular, random interface: *P–SV* case (Schultz, C.A., Toksöz, M.N.), **117,** 783
A pulse in a binary sediment (Frazer, L.N.), **118,** 75
Elastic-wave scattering and Stoneley wave localization by anisotropic imperfect interfaces between solids (Huang, W., Rokhlin, S.I.), **118,** 285
Elastic wave propagation in a radially anisotropic medium (Boström, A., Johansson, M., Svedberg, T.), **118,** 401
Seismic wave propagation in complex crustupper mantle media using 2-D finite-difference synthetics (Hestholm, S.O., Husebye, E.S., Ruud, B.O.), **118,** 643
Understanding finite-frequency wave phenomena: phase-ray formulation and inhomogeneity scattering (Zhu, T., Chun, K.-Y.), **119,** 78
Resolution of prominent crustal scatterers near the NORESS small-aperture array (Hedlin, M.A.H., Minster, J.-B., Orcutt, J.A.), **119,** 101
Stochastic characterization and seismic response of upper and middle crustal rocks based on the Lewisian gneiss complex, Scotland (Levander, A., England, R.W., Smith, S.K., Hobbs, R.W., Goff, J.A., Holliger, K.), **119,** 243

Scotland

Stochastic characterization and seismic response of upper and middle crustal rocks based on the Lewisian gneiss complex, Scotland (Levander, A., England, R.W., Smith, S.K., Hobbs, R.W., Goff, J.A., Holliger, K.), **119,** 243

Sea-floor spreading

A global analysis of mid-ocean ridge axial topography (Small, C.), **116,** 64

Sea-level

Phase change and thermal subsidence of the Williston basin (Hamdani, Y., Mareschal, J.-C., Arkani-Hamed, J.), **116,** 585

Sedimentary basins

Ground motion at mountains and sedimentary basins with vertical seismic velocity gradient (Benites, R., Aki, K.), **116,** 95
Phase change and thermal subsidence of the Williston basin (Hamdani, Y., Mareschal, J.-C., Arkani-Hamed, J.), **116,** 585
Numerical simulation of thermal convection in compacting sedimentary basins (Wangen, M.), **119,** 129

Sediments

Influence of climate on the radioactivity of lake and sea sediments: first results (Liritzis, I., Galloway, R.B., Kovacheva, M., Kalcheva, V.B.), **116,** 683
Magnetic enhancement and palaeoclimate: study of a loess/palaeosol couplet across the Loess Plateau of China (Evans, M.E., Heller, F.), **117,** 257
Resonance prediction of deep sediment valleys through an eigenvalue method (Zhou, T., Dravinski, M.), **117,** 749
Traveltime and amplitude anomalies at the seismic broad-band array GRF (Weber, M.), **118,** 57
Middle/Late Pleistocene relative palaeointensity of the geomagnetic field from lacustrine sediments, Lake Chewaucan, western United States (Roberts, A.P., Verosub, K.L., Negrini, R.M.), **118,** 101
Resistivity structure of the underconsolidated sediments of the Cascadia Basin (Lei, H., Nobes, D.C.), **118,** 717

Seismic coda

Array analysis of the large-aperture array of the 1988–89 PASSCAL Basin and Range Passive-Source Seismic Experiment (Randall, G.E., Owens, T.J.), **116,** 618
Multiple isotropic scattering model including *P–S* conversions for the seismogram envelope formation (Sato, H.), **117,** 487

Seismic modelling

On the evaluation of explicit 2-D extrapolation operators (Maeland, E.), **116,** 85
Vertical seismic profile inversion with genetic algorithms (Nolte, B., Frazer, L.N.), **117,** 162
Why have the single force and torque been excluded from seismic source models? (Takei, Y., Kumazawa, M.), **118,** 20
Numerical simulation of high- and low-frequency *Lg*-wave propagation (Gibson, R.L., Jr, Campillo, M.), **118,** 47
Seismic structure of gneissic/granitic upper crust: geological and petrophysical evidence from the Strona–Ceneri Zone (northern Italy) and implications for crustal seismic exploration (Holliger, K., Levander, A.), **119,** 497

Seismic moment

Isotropic and deviatoric characterization of the Coalora nuclear explosion in Yucca Flats (Stump, B.W., Reinke, R.E., Olsen, K.H., Johnson, L.R.), **116,** 538
Source parameters for the Roermond aftershocks of 1992 April 13–May 2 and site spectra for *P* and *S* waves at the Belgian seismic network (Oncescu, M.-C., Camelbeeck, T., Martin, H.), **116,** 673

Seismic noise

Array analysis of the large-aperture array of the 1988–89 PASSCAL Basin and Range Passive-Source Seismic Experiment (Randall, G.E., Owens, T.J.), **116,** 618
Seismic noise emission induced by seismic waves (Privalovskiy, N.K., Beresnev, I.A.), **116,** 806

Seismic reflection

Moho and lower crustal reflectivity beneath a young rift basin: results from a two-ship, wide-aperture seismic-reflection experiment in the Valencia Trough (western Mediterranean) (Collier, J.S., Buhl, P., Torné, M., Watts, A.B.), **118,** 159
Seismic structure of gneissic/granitic upper crust: geological and petrophysical evidence from the Strona–Ceneri Zone (northern Italy) and implications for crustal seismic exploration (Holliger, K., Levander, A.), **119,** 497
Kinematic inversion for the 2-D horizontal and vertical *qP*-wave velocities and depths to interfaces applied to the TACT seismic profile, southern Alaska (Boztepe, E.A., Braile, L.W.), **119,** 529
The generation of near-surface-layer models from seismic reflection traveltimes (Bloor, R., Whaler, K.), **119,** 693

Seismic refraction

Seismic structure of gneissic/granitic upper crust: geological and petrophysical evidence from the Strona–Ceneri Zone (northern Italy) and implications for crustal seismic exploration (Holliger, K., Levander, A.), **119,** 497
Kinematic inversion for the 2-D horizontal and vertical *qP*-wave velocities and depths to interfaces applied to the TACT seismic profile, southern Alaska (Boztepe, E.A., Braile, L.W.), **119,** 529
Seismic refraction crustal study along the Sognefjord, south-west Norway, employing ocean-bottom seismometers (Iwasaki, T., Sellevoll, M.A., Kanazawa, T., Veggeland, T., Shimamura, H.), **119,** 791

Seismic tomography

3-D network ray tracing (Klimeš, L., Kvasnička, M.), **116,** 726
The trade-off between volumetric and topographic structure for seismic traveltimes: 660 km topography and mantle structure (Rodgers, A., Wahr, J.), **117,** 19
3-D velocity structure from simultaneous traveltime inversion of in-line seismic data along intersecting profiles (Zelt, C.A.), **118,** 795
An example of lateral-inhomogeneity effects on seismic traveltimes in a zero-offset VSP experiment (Ikelle, L.T., Yung, S.K.), **118,** 802
Kinematic inversion for the 2-D horizontal and vertical *qP*-wave velocities and depths to interfaces applied to the TACT seismic profile, southern Alaska (Boztepe, E.A., Braile, L.W.), **119,** 529
3-D velocity structure of the San Jacinto fault zone near Anza, California—I. *P* waves (Scott, J.S., Masters, T.G., Vernon, F.L.), **119,** 611
Constraints on minimum velocity variance for seismic-traveltime tomography (Berryman, J.G.), **119,** 689
The generation of near-surface-layer models from seismic reflection traveltimes (Bloor, R., Whaler, K.), **119,** 693

Seismic velocities

Ground motion at mountains and sedimentary basins with vertical seismic velocity gradient (Benites, R., Aki, K.), **116,** 95
Stochastic characterization and seismic response of upper and middle crustal rocks based on the Lewisian gneiss complex, Scotland (Levander, A., England, R.W., Smith, S.K., Hobbs, R.W., Goff, J.A., Holliger, K.), **119,** 243
Constraints on minimum velocity variance for seismic-traveltime tomography (Berryman, J.G.), **119,** 689

Seismic waves

Seismic noise emission induced by seismic waves (Privalovskiy, N.K., Beresnev, I.A.), **116,** 806
Double-layer anisotropy resolved from *S* phases (Özalaybey, S., Savage, M.K.), **117,** 653
Enhanced backscattering of seismic waves from a highly irregular, random interface: *P–SV* case (Schultz, C.A., Toksöz, M.N.), **117,** 783
Resolving a low-velocity zone with surface-wave data (van Heijst, H.J., Snieder, R., Nowack, R.), **118,** 333
Representations of the seismic wavefield (Kennett, B.L.N.), **118,** 344
Upper-mantle velocity structure beneath the Siberian platform (Priestley, K., Cipar, J., Egorkin, A., Pavlenkova, N.), **118,** 369
Seismic-waveform effects of conical points in gradually varying anisotropic media (Rümpker, G., Thomson, C.J.), **118,** 759
Dynamic response of a half-space to a buried spherical source (Jiang, J., Baird, G.R., Blair, D.P.), **119,** 753
Non-plane geometries of seismic surface wavefields and their

implications for regional surface-wave tomography (Friederich, W., Wielandt, E., Stange, S.), **119,** 931

Seismic-event rates

Spectral characteristics of seismic events off the coast of the Levant (Gitterman, Y., Shapira, A.), **116,** 485
The 1953 earthquake in Cephalonia (Western Hellenic Arc): coastal uplift and halotectonic faulting (Stiros, S.C., Pirazzoli, P.A., Laborel, J., Laborel-Deguen, F.), **117,** 834
Why have the single force and torque been excluded from seismic source models? (Takei, Y., Kumazawa, M.), **118,** 20

Seismic-phase identification

Detection of anomalous seismic phases by the wavelet transform (Yomogida, K.), **116,** 119

Seismicity

Artificial and natural changes in the rates of seismic activity: a case study of the Garm Region, Tadjikistan (CIS) (Eneva, M., Habermann, R.E., Hamburger, M.W.), **116,** 157
Seismicity in north-eastern Brazil: fractal clustering and the evolution of the *b* value (Henderson, J., Main, I.G., Pearce, R.G., Takeya, M.), **116,** 217
Determination of seismogenic interplate contact zone and crustal seismicity around Antofagasta, northern Chile using local data (Comte, D., Pardo, M., Dorbath, L., Dorbath, C., Haessler, H., Rivera, L., Cisternas, A., Ponce, L.), **116,** 553
Seismic noise emission induced by seismic waves (Privalovskiy, N.K., Beresnev, I.A.), **116,** 806
Seismicity in the Hellenic Volcanic Arc: relation between seismic parameters and the geophysical fields in the region (Tsapanos, T.M., Galanopoulos, D., Burton, P.W.), **117,** 677
Traveltime and amplitude anomalies at the seismic broad-band array GRF (Weber, M.), **118,** 57

Seismograms

Analysis of historical seismograms—root mean square *Lg* magnitudes, yields and depths of explosions at the Semipalatinsk Test Range (Israelsson, H.), **117,** 591
Formulation of the multiple non-isotropic scattering process in 2-D space on the basis of energy-transport theory (Sato, H.), **117,** 727
Modified frequency-wavenumber algorithm for regional seismograms using Filon's quadrature: modelling of *Lg* waves in eastern North America (Saikia, C.K.), **118,** 142
JWKB surface-wave seismograms on a laterally heterogeneous earth (Wang, Z., Dahlen, F.A.), **119,** 381
Modelling local seismograms of French nuclear tests in Taourirt tan Afella massif, Hoggar, Algeria (Gaffet, S., Massinon, B., Plantet, J.-L., Cansi, Y.), **119,** 964
The problem of water-column multiples for processing converted *S* waves in marine VSP data (MacBeth, C., Liu, E.), **119,** 999

Seismograph network

Source parameters for the Roermond aftershocks of 1992 April 13–May 2 and site spectra for *P* and *S* waves at the Belgian seismic network (Oncescu, M.-C., Camelbeeck, T., Martin, H.), **116,** 673

Seismology

The use of velocity spectrum for stacking receiver functions and imaging upper mantle discontinuities (Gurrola, H., Minster, J.B., Owens, T.), **117,** 427

Seismotectonics

Seismodynamics of Sweden deduced from earthquake focal mechanisms (Arvidsson, R., Kulhanek, O.), **116,** 377
Constraints on the seismotectonics of the central Mediterranean from Very Long Baseline Interferometry (Ward, S.N.), **117,** 441

Shear-wave splitting

The fracture criticality of crustal rocks (Crampin, S.), **118,** 428
Shear-wave splitting in the mantle of the Pacific (Farra, V., Vinnik, L.), **119,** 195
Shear-wave splitting variation over short spatial scales on continents (Helffrich, G., Silver, P., Given, H.), **119,** 561
Seismic anisotropy in the crust at the mid-Atlantic plate boundary in south-west Iceland (Menke, W., Brandsdottir, B., Jakobsdottir, S., Stefansson, R.), **119,** 783
The interpretation of shear-wave splitting parameters in the presence of two anisotropic layers (Silver, P.G., Savage, M.K.), **119,** 949

Source-time functions

Linearized waveform inversion of local and near-regional events for source mechanism and rupturing processes (Mao, W.J., Panza, G.F., Suhadolc, P.), **116,** 784

South America

Seismicity in north-eastern Brazil: fractal clustering and the evolution of the *b* value (Henderson, J., Main, I.G., Pearce, R.G., Takeya, M.), **116,** 217
Geometry and state of stress of the subducted Nazca plate beneath central Chile and Argentina: evidence from teleseismic data (Araujo, M., Suárez, G.), **116,** 283
A simple method for estimating the horizontal velocity field in wide zones of active deformation—II. Examples from New Zealand, Central Asia and Chile (Lamb, S.), **119,** 313

Spain

Crustal structure, gravity anomalies and flexure of the lithosphere in the vicinty of the Canary Islands (Watts, A.B.), **119,** 648

Spectral analysis

Spectral characteristics of seismic events off the coast of the Levant (Gitterman, Y., Shapira, A.), **116,** 485

Spherical harmonics

Regularized spherical harmonic analysis and the 3-D electromagnetic response of the Earth (Schultz, A., Zhang, T.S.), **116,** 141
Divergence of high-degree harmonic solutions of a rotating elliptical earth (Sun, W., Murata, I.), **118,** 269
Determination of equivalent current sources from spherical cap harmonic models of geomagnetic field variations (Haines, G.V., Torta, J.M.), **118,** 499
The geomagnetic eccentric dipole: facts and fallacies (Lowes, F.J.), **118,** 671
Global spherical harmonic analysis by least-squares and numerical quadrature methods in historical perspective (Sneeuw, N.), **118,** 707

Statistical methods

A simulation study of smoothness methods in recovery of regional gravity fields (Xu, P., Rummel, R.), **117,** 472
Present-day deformation of the French northwestern Alps/southern

Jura mountains: comparison between historical triangulations (Jouanne, F., Ménard, G., Jault, D.), **119,** 151
Statistical treatment of crustal magnetization (Jackson, A.), **119,** 991

Stoneley waves

Existence and uniqueness of Stoneley waves (Chadwick, P., Borejko, P.), **118,** 279
Elastic-wave scattering and Stoneley wave localization by anisotropic imperfect interfaces between solids (Huang, W., Rokhlin, S.I.), **118,** 285
Interfacial waves in the presence of areas of slip (Maugin, G.A., Chevalier, Y., Louzar, M.), **118,** 305

Stress distribution

Geometry and state of stress of the subducted Nazca plate beneath central Chile and Argentina: evidence from teleseismic data (Araujo, M., Suárez, G.), **116,** 283
Incremental stress and earthquakes (Kagan, Y.Y.), **117,** 345
Effects of rigidity layering, gravity and stress relaxation on 3-D subsurface fault displacement fields (Ma, X.Q., Kusznir, N.J.), **118,** 201
Crustal deformation due to non-uniform slip along a long fault (Singh, S.J., Punia, M., Rani, S.), **118,** 411

Strong ground motion

Detection of anomalous seismic phases by the wavelet transform (Yomogida, K.), **116,** 119

Subduction

Geometry and state of stress of the subducted Nazca plate beneath central Chile and Argentina: evidence from teleseismic data (Araujo, M., Suárez, G.), **116,** 283
Determination of seismogenic interplate contact zone and crustal seismicity around Antofagasta, northern Chile using local data (Comte, D., Pardo, M., Dorbath, L., Dorbath, C., Haessler, H., Rivera, L., Cisternas, A., Ponce, L.), **116,** 553
A geodynamic framework for interpreting crustal-scale seismic-reflectivity patterns in compressional orogens (Beaumont, C., Quinlan, G.), **116,** 754
Velocity structure in northern Chile: evidence of subducted oceanic crust in the Nazca Plate (Comte, D., Roecker, S.W., Suárez, G.), **117,** 625
Teleseismic synthetics obtained from 3-D calculations in 2-D media (Okamoto, T.), **118,** 613
Shear-wave splitting variation over short spatial scales on continents (Helffrich, G., Silver, P., Given, H.), **119,** 561
Evaluation of the importance of model features for cyclic deformation due to dip-slip faulting (Cohen, S.C.), **119,** 831

Surface waves

Long-period surface waves and mantle boundary undulations (Ritzwoller, M.H., Lavely, E.M.), **116,** 205
Attenuation of multiphase surface waves in the Basin and Range Province—III. Inversion for crustal anelasticity (Mitchell B.J., Xie, J.-k.), **116,** 468
Source mechanism of the 1992 Roermond earthquake from surface-wave inversion of regional data (Braunmiller, J., Dahm, T., Bonjer, K.-P.), **116,** 663
Calculation of surface waves for a thin basin structure using a direct boundary element method with normal modes (Fujiwara, H., Takenaka, H.), **117,** 69
Empirical measurements of tectonic moment release in nuclear explosions from teleseismic surface waves and body waves (Ekström, G., Richards, P.G.), **117,** 120
Surface-wave propagation on a rotating, anisotropic earth (Tromp, J.), **117,** 141
A coupled local-mode analysis of surface-wave propagation in a laterally heterogeneous waveguide (Tromp, J.), **117,** 153
The nature and cause of polarization anomalies of surface waves crossing northern and central Eurasia (Levshin, A.L., Ritzwoller, M.H., Ratnikova, L.I.), **117,** 577
Surface acoustic waves of sagittal and shear-horizontal polarizations on large-amplitude gratings (Maradudin, A.A., Zierau, W.), **118,** 325
Resolving a low-velocity zone with surface-wave data (van Heijst, H.J., Snieder, R., Nowack, R.), **118,** 333
Acoustic reflection calculation using transfer matrices (Farnell, G.W.), **118,** 358
Shear-wave velocity and attenuation structure beneath Antarctica determined from surface waves (Singh, D.D.), **118,** 515
Global tomography from Rayleigh and Love wave dispersion: effect of ray-path bending (Pollitz, F.F.), **118,** 730
JWKB surface-wave seismograms on a laterally heterogeneous earth (Wang, Z., Dahlen, F.A.), **119,** 381
Non-plane geometries of seismic surface wavefields and their implications for regional surface-wave tomography (Friederich, W., Wielandt, E., Stange, S.), **119,** 931

Sweden

Seismodynamics of Sweden deduced from earthquake focal mechanisms (Arvidsson, R., Kulhanek, O.), **116,** 377
Thin superficial layer and lateral heterogeneities in southern Sweden using short-period Rayleigh-wave dispersion (Åström, K., Lund C.-E.), **118,** 231

Switzerland

Investigations of S_g and P_n phases in the area of the upper Rhine Graben and northern Switzerland (Plenefisch, T., Faber, S., Bonjer, K.-P.), **119,** 402

Synthetic seismograms

An automated ray method for diffraction modelling in complex media (Klaeschen, D., Rabbel, W., Flueh, E.R.), **116,** 23
Long-period surface waves and mantle boundary undulations (Ritzwoller, M.H., Lavely, E.M.), **116,** 205
Computation of synthetic seismograms and their partial derivatives for heterogeneous media with arbitrary natural boundary conditions using the Direct Solution Method (Geller, R.J., Ohminato, T.), **116,** 421
Synthetic seismograms for *SH* waves in anelastic transversely isotropic media (Le, L.H.T., Krebes, E.S., Quiroga-Goode, G.E.), **116,** 598
The wavelength-smoothing method for approximating broad-band wave propagation through complicated velocity structures (Lomax, A.), **117,** 313
Characterizing long-period seismic effects of long-wavelength elastic and anelastic models (Resovsky, J.S., Ritzwoller, M.H.), **117,** 365
The nature and cause of polarization anomalies of surface waves crossing northern and central Eurasia (Levshin, A.L., Ritzwoller, M.H., Ratnikova, L.I.), **117,** 577
Numerical simulation of high- and low-frequency *Lg*-wave propagation (Gibson, R.L., Jr, Campillo, M.), **118,** 47
A pulse in a binary sediment (Frazer, L.N.), **118,** 75
Efficient calculation of complete differential seismograms for laterally homogeneous earth models (Randall, G.E.), **118,** 245
Resolution of prominent crustal scatterers near the NORESS small-aperture array (Hedlin, M.A.H., Minster, J.-B., Orcutt, J.A.), **119,** 101
Multiples as precursors to *S, SKS* and *ScS* (Bock, G.), **119,** 421

Tectonics

Turbulent 3-D thermal convection in an infinite Prandtl number, volumetrically heated fluid: implications for mantle dynamics (Parmentier, E.M., Sotin, C., Travis, B.J.), **116,** 241

The Somalia plate and the East African Rift System: present-day kinematics (Jestin, F., Huchon, P., Gaulier, J.M.), **116,** 637
Empirical measurements of tectonic moment release in nuclear explosions from teleseismic surface waves and body waves (Ekström, G., Richards, P.G.), **117,** 120
Pn velocities beneath continental collision zones: the Turkish–Iranian Plateau (Hearn, T.M., Ni, J.F.), **117,** 273
Theory and parameter-optimization method for inversion of the tectonophysical model (Zhao, S.), **117,** 665
Relative motions in Europe studied with a geodetic VLBI network (Zarraoa, N., Rius, A., Sardón, E., Ryan, J.W.), **117,** 763
Implications of earthquake focal mechanism data for the active tectonics of the south Caspian Basin and surrounding regions (Priestley, K., Baker, C., Jackson, J.), **118,** 111
A simple method for estimating the horizontal velocity field in wide zones of active deformation—II. Examples from New Zealand, Central Asia and Chile (Lamb, S.), **119,** 313
Contemporary global horizontal crustal motion (Smith, D.E., Kolenkiewicz, R., Nerem, R.S., Dunn, P.J., Torrence, M.H., Robbins, J.W., Klosko, S.M., Williamson, R.G., Pavlis, E.C.), **119,** 511
A continuous kinematic model of plate-tectonic motions (Bercovici, D., Wessel, P.), **119,** 595

Thermal conductivity

Simulation of heat transfer at the Kola deep-hole site: implications for advection, heat refraction and palaeoclimatic effects (Kukkonen, I.T., Clauser, C.), **116,** 409
Numerical calculations of the thermal conductivities of composites: a 2-D model (Pascal, F., Jones, F.W.), **118,** 623

Tibet

Mountain building and earth rotation (Vermeersen, L.L.A., Sabadini, R., Spada, G., Vlaar, N.J.), **117,** 610

Tides

A simple method to retrieve the complex eigenfrequency of the Earth's nearly diurnal-free wobble; application to the Strasbourg superconducting gravimeter data (Florsch, N., Chambat, F., Hinderer, J., Legros, H.), **116,** 53
Improved smoothing of an altimetric ocean-tide model with global Proudman functions (Ray, R.D., Sanchez, B.V.), **118,** 788
The nearly diurnal free wobble resonance in gravity measured at Cantley, Quebec (Merriam, J.B.), **119,** 369
On some forced oscillations relating to Laplace's tidal equation (Sozou, C.), **119,** 779

Titanomagnetite

Thermally activated magnetic viscosity in natural multidomain titanomagnetite (Bina, M.M., Prévot, M.), **117,** 495
Magnetic properties and rotational hysteresis of a basalt with homogeneous Ti-rich titanomagnetite grains 10–20 μm in diameter (Schmidbauer, E., Keller, R.), **119,** 880

Tomography

Applied geophysical inversion (Ellis, R.G., Oldenburg, D.W.), **116,** 5
Inversion of reflection seismic amplitude data for interface geometry (Wang, Y., Houseman, G.A.), **117,** 92
Pn velocities beneath continental collision zones: the Turkish–Iranian Plateau (Hearn, T.M., Ni, J.F.), **117,** 273
Traveltime and amplitude anomalies at the seismic broad-band array GRF (Weber, M.), **118,** 57
Global tomography from Rayleigh and Love wave dispersion: effect of ray-path bending (Pollitz, F.F.), **118,** 730
Singularity and branching: a path-following formalism for geophysical inverse problems (Vasco, D.W.), **119,** 809
Non-plane geometries of seismic surface wavefields and their implications for regional surface-wave tomography (Friederich, W., Wielandt, E., Stange, S.), **119,** 931

Topography

A global analysis of mid-ocean ridge axial topography (Small, C.), **116,** 64
Ground motion at mountains and sedimentary basins with vertical seismic velocity gradient (Benites, R., Aki, K.), **116,** 95
Dynamic topography estimates using *Geosat* data and a gravimetric geoid in the Gulf Stream region (Rapp, R.H., Wang, Y.M.), **117,** 511
The density contrast at the Mohorovičič discontinuity (Martinec, Z.), **117,** 539
The minimum depth of compensation of topographic masses (Martinec, Z.), **117,** 545
Seismic wave propagation in complex crustupper mantle media using 2-D finite-difference synthetics (Hestholm, S.O., Husebye, E.S., Ruud, B.O.), **118,** 643
Seamount topography by least-squares inversion of altimetric geoid heights and shipborne profiles of bathymerty and/or gravity anomalies (Calmant, S.), **119,** 428
Lithospheric flexure on Venus (Johnson, C.L., Sandwell, D.T.), **119,** 627
Improved gravimetric terrain corrections (Li, Y.C., Sideris, M.G.), **119,** 740

Transition

Numerical simulation of faults and shear zones (Donzé, F., Mora, P., Magnier, S.-A.), **116,** 46
Late Palaeozoic–Mesozoic geomagnetic reversal paths and core–mantle boundary (Vizán, H., Somoza, R., Orgeira, M.J., Vásquez, C.A., Mena, M., Vilas, J.F.), **117,** 819

Tripple junction

The Somalia plate and the East African Rift System: present-day kinematics (Jestin, F., Huchon, P., Gaulier, J.M.), **116,** 637

Turkey

Long-term earthquake prediction along the North and East Anatolian Fault Zones based on the time- and magnitude-predictable model (Karakaisis, G.F.), **116,** 198
Pn velocities beneath continental collision zones: the Turkish–Iranian Plateau (Hearn, T.M., Ni, J.F.), **117,** 273

UK

Palaeozoic palaeogeography of Laurentia and its margins: a reassessment of palaeomagnetic data (Mac Niocaill, C., Smethurst, M.A.), **116,** 715
Geophysical evidence for ultrawide dykes of the late Carboniferous quartz-dolerite swarms of northern Britain (Smythe, D.K.), **119,** 20
Implications of palaeomagnetic data from the Tortworth Silurian inlier (southern Britain) to palaeogeography and Variscan tectonism (Torsvik, T.H., Trench, A., McKerrow, W.S.), **119,** 91

Uplift

Mountain building and earth rotation (Vermeersen, L.L.A., Sabadini, R., Spada, G., Vlaar, N.J.), **117,** 610

Upper mantle

Crustal conductors along the SVEKA Profile in the Fennoscandian (Baltic) Shield, Finland (Korja, T., Koivukoski, K.), **116,** 173

The use of velocity spectrum for stacking receiver functions and imaging upper mantle discontinuities (Gurrola, H., Minster, J.B., Owens, T.), **117,** 427
On the detectability of a highly conductive layer in the upper mantle beneath the Black Forest crystalline using magnetotelluric methods (Tezkan, B.), **118,** 185
Upper-mantle velocity structure beneath the Siberian platform (Priestley, K., Cipar, J., Egorkin, A., Pavlenkova, N.), **118,** 369
Global tomography from Rayleigh and Love wave dispersion: effect of ray-path bending (Pollitz, F.F.), **118,** 730
The velocity structure of the crust and upper mantle under China from broad-band *P* and *PP* waveform analysis (Beckers, J., Schwartz, S.Y., Lay, T.), **119,** 574

USA

Attenuation of multiphase surface waves in the Basin and Range Province—III. Inversion for crustal anelasticity (Mitchell B.J., Xie, J.-k.), **116,** 468
Contrasts between source parameters of $M \geq 5.5$ earthquakes in northern Baja California and southern California (Doser, D.I.), **116,** 605
Middle/Late Pleistocene relative palaeointensity of the geomagnetic field from lacustrine sediments, Lake Chewaucan, western United States (Roberts, A.P., Verosub, K.L., Negrini, R.M.), **118,** 101
A simple method for estimating the horizontal velocity field in wide zones of active deformation—I. Description, with an example from California (Lamb, S.), **119,** 297
3-D velocity structure of the San Jacinto fault zone near Anza, California—I. *P* waves (Scott, J.S., Masters, T.G., Vernon, F.L.), **119,** 611

Venus

Lithospheric flexure on Venus (Johnson, C.L., Sandwell, D.T.), **119,** 627

Vertical heterogeneity

Ground motion at mountains and sedimentary basins with vertical seismic velocity gradient (Benites, R., Aki, K.), **116,** 95

Viscoelasticity

Lamé's problem of gravitational viscoelasticity: the isochemical, incompressible planet (Wolf, D.), **116,** 321
Synthetic seismograms for *SH* waves in anelastic transversely isotropic media (Le, L.H.T., Krebes, E.S., Quiroga-Goode, G.E.), **116,** 598
Mantle rheology, viscomagnetic coupling at the core–mantle boundary and differential rotation of the core induced by Pleistocenic deglaciation (Lefftz, M., Sabadini, R., Legros, H.), **117,** 1
Viscoelastic perturbations of the earth: significance of the incremental gravitational force in models of glacial isostasy (Amelung, F., Wolf, D.), **117,** 864
A rheological model for anelastic anisotropic media with applications to seismic wave propagation (Carcione, J.M., Cavallini, F.), **119,** 338

Viscosity

Thermally activated magnetic viscosity in natural multidomain titanomagnetite (Bina, M.M., Prévot, M.), **117,** 495

Volcanic activity

Is there a correlation between larger local earthquakes and the end of eruptions at Mount Etna volcano, Sicily? (Gresta, S., Marzocchi, W., Mulargia, F.), **116,** 230

Volcanic stucture

The crustal magma chamber of the Katla volcano in south Iceland revealed by 2-D seismic undershooting (Gudmundsson, O., Brandsdottir, B., Menke, W., Sigvaldason, G.E.), **119,** 277

Wave propagation

A Maslov–Chapman wavefield representation for wide-angle one-way propagation (Brown, M.G.), **116,** 513
Numerical simulation of high- and low-frequency *Lg*-wave propagation (Gibson, R.L., Jr, Campillo, M.), **118,** 47
Existence and uniqueness of Stoneley waves (Chadwick, P., Borejko, P.), **118,** 279
Elastic-wave scattering and Stoneley wave localization by anisotropic imperfect interfaces between solids (Huang, W., Rokhlin, S.I.), **118,** 285
Interfacial waves in the presence of areas of slip (Maugin, G.A., Chevalier, Y., Louzar, M.), **118,** 305
Non-axisymmetric guided waves in a composite cylinder with transversely isotropic core (Rattanawangcharoen, N., Datta, S.K., Shah, A.H.), **118,** 317
Surface acoustic waves of sagittal and shear-horizontal polarizations on large-amplitude gratings (Maradudin, A.A., Zierau, W.), **118,** 325
Representations of the seismic wavefield (Kennett, B.L.N.), **118,** 344
Ray method of calculating the intensity of wavefronts in the case of a heterogeneous, anisotropic, elastic medium (Babich, V.M.), **118,** 379
Elastodynamic fundamental solutions for anisotropic solids (Wang, C.-Y., Achenbach, J.D.), **118,** 384
Body waves in a weakly anisotropic medium—I. Plane waves (Kiselev, A.P.), **118,** 393
Elastic wave propagation in a radially anisotropic medium (Boström, A., Johansson, M., Svedberg, T.), **118,** 401
Acoustoelasticity of solid/fluid composite systems (Norris, A.N., Sinha, B.K., Kostek, S.), **118,** 439
Finite-amplitude plane waves in deformed Hadamard elastic materials (Boulanger, Ph., Hayes, M., Trimarco, C.), **118,** 447
Wave propagation in polar elastic superlattices (Green, W.A., Green, E.R.), **118,** 459
A rheological model for anelastic anisotropic media with applications to seismic wave propagation (Carcione, J.M., Cavallini, F.), **119,** 338
Dynamic response of a half-space to a buried spherical source (Jiang, J., Baird, G.R., Blair, D.P.), **119,** 753

Waveform analysis

Detection of anomalous seismic phases by the wavelet transform (Yomogida, K.), **116,** 119
Investigation of permeable fracture zones by tube-wave analysis (Li, Y.D., Rabbel, W., Wang, R.), **116,** 739
Linearized waveform inversion of local and near-regional events for source mechanism and rupturing processes (Mao, W.J., Panza, G.F., Suhadolc, P.), **116,** 784
Geochemical effects of magmatic solitary waves—I. Numerical results (Watson, S., Spiegelman, M.), **117,** 284
Geochemical effects of magmatic solitary waves—II. Some analysis (Spiegelman, M.), **117,** 296
Double-layer anisotropy resolved from *S* phases (Özalaybey, S., Savage, M.K.), **117,** 653
Shear-wave velocity variations in the upper mantle beneath central Europe (Zielhuis, A., Nolet, G.), **117,** 695
Enhanced backscattering of seismic waves from a highly irregular, random interface: *P–SV* case (Schultz, C.A., Toksöz, M.N.), **117,** 783
Faulting process of the 1990 June 20 Iran earthquake from broad-band records (Campos, J., Madariaga, R., Nábělek, J., Bukchin, B.G., Deschamps, A.), **118,** 31
Efficient calculation of complete differential seismograms for laterally homogeneous earth models (Randall, G.E.), **118,** 245

Understanding finite-frequency wave phenomena: phase-ray formulation and inhomogeneity scattering (Zhu, T., Chun, K.-Y.), **119,** 78

The velocity structure of the crust and upper mantle under China from broad-band *P* and *PP* waveform analysis (Beckers, J., Schwartz, S.Y., Lay, T.), **119,** 574

Geophysical journal international author index by volume 116–119

Achenbach, J.D. *see* Wang, C.-Y.
Acton, G.D. *see* Petronotis, K.E.A
Ahmed, A.A.K. *see* Smith, B.
Aki, K. *see* Benites, R.
Aleksandrov, K.S., Prodayvoda, G.T., The study of elastic symmetry and anisotropy of elastic body waves in gneiss, **119,** 715
Allenspach, R. *see* Grütter, P.
Amelung, F., Wolf, D., Viscoelastic perturbations of the earth: significance of the incremental gravitational force in models of glacial isostasy, **117,** 864
Anderson, O.L. *see* Oda, H.
Appel, E. *see* Gautam, P.
Araujo, M., Suárez, G., Geometry and state of stress of the subducted Nazca plate beneath central Chile and Argentina: evidence from teleseismic data, **116,** 283
Arciniega, A. *see* Ordaz, M.
Arkani-Hamed, J. *see* Hamdani, Y.
Arvidsson, R., Kulhanek, O., Seismodynamics of Sweden deduced from earthquake focal mechanisms, **116,** 377
Ashalatha, B., Subrahmanyam, C., Singh, R.N., Carlsberg Ridge, northern Indian Ocean: gravity and isostasy, **119,** 69
Åström, K., Lund C.-E., Thin superficial layer and lateral heterogeneities in southern Sweden using short-period Rayleigh-wave dispersion, **118,** 231
Atzemoglou, A., Kondopoulou, D., Papamarinopoulos, S., Dimitriadis, S., Palaeomagnetic evidence for block rotations in the western Greek Rhodope, **118,** 221
Avdeev, D.B., Dubrovsky, V.G., Fainberg, E.B., Pankratov, O.V., Zinger, B.Sh., Deep electromagnetic sounding in Turkmenia, **118,** 467

Babich, V.M., Ray method of calculating the intensity of wavefronts in the case of a heterogeneous, anisotropic, elastic medium, **118,** 379
Bachtadse, V. *see* Tait, J.
Baird, G.R. *see* Jiang, J.
Baker, C. *see* Priestley, K.
Beaumont, C., Quinlan, G., A geodynamic framework for interpreting crustal-scale seismic-reflectivity patterns in compressional orogens, **116,** 754
Beckers, J., Schwartz, S.Y., Lay, T., The velocity structure of the crust and upper mantle under China from broad-band *P* and *PP* waveform analysis, **119,** 574
Belardinelli, M.E., Bonafede, M., Rheology heterogeneities on fault surfaces inferred from the time history of afterslip events, **116,** 349
Benites, R., Aki, K., Ground motion at mountains and sedimentary basins with vertical seismic velocity gradient, **116,** 95
Bercovici, D., Wessel, P., A continuous kinematic model of plate-tectonic motions, **119,** 595
Beresnev, I.A. *see* Privalovskiy, N.K.
Bernabé, Y., Fryer, D.T., Shively, R.M., Experimental observations of the elastic and inelastic behaviour of porous sandstones, **117,** 403
Berryman, J.G., Constraints on minimum velocity variance for seismic-traveltime tomography, **119,** 689
Billings, S.D., Kennett, B.L.N., Sambridge, M.S., Hypocentre location: genetic algorithms incorporating problem-specific information, **118,** 693
Billings, S.D., Simulated annealing for earthquake location, **118,** 680
Bina, M.M., Prévot, M., Thermally activated magnetic viscosity in natural multidomain titanomagnetite, **117,** 495
Blair, D.P. *see* Jiang, J.
Bloor, R., Whaler, K., The generation of near-surface-layer models from seismic reflection traveltimes, **119,** 693
Bloxham, J. *see* Love, J.J.
Bock, G., Multiples as precursors to *S, SKS* and *ScS*, **119,** 421
Bonafede, M. *see* Belardinelli, M.E.
Bonjer, K.-P. *see* Braunmiller, J.; Faber, S.; Plenefisch, T.
Borejko, P. *see* Chadwick, P.
Borradaile, G.J., Low-temperature demagnetization and ice-pressure demagnetization in magnetite and haematite, **116,** 571
Boström, A., Johansson, M., Svedberg, T., Elastic wave propagation in a radially anisotropic medium, **118,** 401
Boulanger, Ph., Hayes, M., Trimarco, C., Finite-amplitude plane waves in deformed Hadamard elastic materials, **118,** 447
Boztepe, E.A., Braile, L.W., Kinematic inversion for the 2-D horizontal and vertical *qP*-wave velocities and depths to interfaces applied to the TACT seismic profile, southern Alaska, **119,** 529
Braile, L.W. *see* Boztepe, E.A.
Braitenberg, C., Capuano, P., Gasparini, P., Zadro, M., Interpretation of long-period magnetotelluric soundings in Friuli (north-east Italy) and the electrical characteristics of the lithosphere, **117,** 196
Brandsdottir, B. *see* Gudmundsson, O.; Menke, W.
Braunmiller, J., Dahm, T., Bonjer, K.-P., Source mechanism of the 1992 Roermond earthquake from surface-wave inversion of regional data, **116,** 663
Broberg, K.B., Intersonic bilateral slip, **119,** 706
Brown, M.G., A Maslov–Chapman wavefield representation for wide-angle one-way propagation, **116,** 513
Brüstle, W. *see* Faber, S.
Buchan, K.L. *see* Hodych, J.P.
Buhl, P. *see* Collier, J.S.
Bukchin, B.G. *see* Campos, J.
Burton, P.W. *see* Tsapanos, T.M.

Calmant, S., Seamount topography by least-squares inversion of altimetric geoid heights and shipborne profiles of bathymetry and/or gravity anomalies, **119,** 428
Camelbeeck, T. *see* Oncescu, M.-C.
Campillo, M. *see* Gibson, R.L., Jr
Campos, J., Madariaga, R., Nábělek, J., Bukchin, B.G., Deschamps, A., Faulting process of the 1990 June 20 Iran earthquake from broad-band records, **118,** 31
Cansi, Y. *see* Gaffet, S.
Capuano, P. *see* Braitenberg, C.
Carcione, J.M., Cavallini, F., A rheological model for anelastic anisotropic media with applications to seismic wave propagation, **119,** 338
Cavallini, F. *see* Carcione, J.M.
Cazenave, A. *see* Thoraval, C.
Chadwick, P., Borejko, P., Existence and uniqueness of Stoneley waves, **118,** 279
Chambat, F. *see* Florsch, N.
Channell, J.E.T., Stoner, J.S., Comment on 'Magnetostratigraphy of the Hettangian Langmoos section (Adnet, Austria): evidence for time-delayed phases of magnetization' by Y. Gallet, D. Vandamme and L. Krystyn, **119,** 1005
Chapman, C.H., Reflection/transmission coefficient reciprocities in anisotropic media, **116,** 498
Chevalier, Y. *see* Maugin, G.A.
Chun, K.-Y. *see* Zhu, T.
Cipar, J. *see* Priestley, K.
Cisternas, A. *see* Comte, D.
Clauser, C. *see* Jobmann, M.; Kukkonen, I.T.
Cloetingh, S. *see* van Wees, J.D.
Cohen, S.C., Evaluation of the importance of model features for cyclic deformation due to dip-slip faulting, **119,** 831
Collier, J.S., Buhl, P., Torné, M., Watts, A.B., Moho and lower crustal reflectivity beneath a young rift basin: results from a

two-ship, wide-aperture seismic-reflection experiment in the Valencia Trough (western Mediterranean), **118,** 159
Comte, D., Pardo, M., Dorbath, L., Dorbath, C., Haessler, H., Rivera, L., Cisternas, A., Ponce, L., Determination of seismogenic interplate contact zone and crustal seismicity around Antofagasta, northern Chile using local data, **116,** 553
Comte, D., Roecker, S.W., Suárez, G., Velocity structure in northern Chile: evidence of subducted oceanic crust in the Nazca Plate, **117,** 625
Crampin, S., The fracture criticality of crustal rocks, **118,** 428
Crawford, B.R. *see* Liakopoulou-Morris, F.
Crossley, D. *see* Hinderer, J.

Dabas, M., Tabbagh, A., Tabbagh, J., 3-D inversion in subsurface electrical surveying—I. Theory, **119,** 975
Dahlen, F.A. *see* Wang, Z.
Dahm, T. *see* Braunmiller, J.
Daly, L. *see* Derder, M.E.-M.
Datta, S.K. *see* Rattanawangcharoen, N.
Deichmann, N. *see* Faber, S.
DeMets, C., Gordon, R.G., Vogt, P., Location of the Africa–Australia–India triple junction and motion between the Australian and Indian plates: results from an aeromagnetic investigation of the Central Indian and Carlsberg ridges, **119,** 893
Derder, M.E.-M., Henry, B., Merabet, N.-E., Daly, L., Palaeomagnetism of the Stephano–Autunian Lower Tiguentourine formations from stable Saharan craton (Algeria), **116,** 12
Deschamps, A. *see* Campos, J.
Dimitriadis, S. *see* Atzemoglou, A.
Doh, S.-J., Piper, J.D.A., Palaeomagnetism of the (Upper Palaeozoic–Lower Mesozoic) Pyongan Supergroup, Korea: a Phanerozoic Link with the North China Block, **117,** 850
Dong, W., Schmitt, D.P., Simplified dynamic and static Green's functions in transversely isotropic media, **119,** 231
Donzé, F., Mora, P., Magnier, S.-A., Numerical simulation of faults and shear zones, **116,** 46
Dorbath, C. *see* Comte, D.
Dorbath, L. *see* Comte, D.
Doser, D.I., Contrasts between source parameters of $M \geq 5.5$ earthquakes in northern Baja California and southern California, **116,** 605
Dravinski, M. *see* Zhou, T.
Dubrovsky, V.G. *see* Avdeev, D.B.
Dunn, P.J. *see* Smith, D.E.

Eaton, D.W.S., Stewart, R.R., Migration/inversion for transversely isotropic elastic media, **119,** 667
Edwards, R.N. *see* Ferguson, I.J.
Egorkin, A. *see* Priestley, K.
Eisenhauer, A. *see* Nowaczyk, N.R.
Ekström, G., Richards, P.G., Empirical measurements of tectonic moment release in nuclear explosions from teleseismic surface waves and body waves, **117,** 120
Ellis, R.G. *see* McGillivray, P.R.
Ellis, R.G., Oldenburg, D.W., Applied geophysical inversion, **116,** 5
Ellis, R.G., Oldenburg, D.W., The pole–pole 3-D DC-resistivity inverse problem: a conjugate-gradient approach, **119,** 187
Eneva, M., Habermann, R.E., Hamburger, M.W., Artificial and natural changes in the rates of seismic activity: a case study of the Garm Region, Tadjikistan (CIS), **116,** 157
England, R.W. *see* Levander, A.
Evans, M.E. *see* Forster, Th.
Evans, M.E., Heller, F., Magnetic enhancement and palaeoclimate: study of a loess/palaeosol couplet across the Loess Plateau of China, **117,** 257
Evans, R.L., Constraints on the large-scale porosity and permeability structure of young oceanic crust from velocity and resistivity data, **119,** 869
Everett, M.E., Existence of an optimal conductivity and Fréchet differentiability in 2-D electromagnetic inversion, **117,** 111
Eyre, J.K., Shaw, J., Magnetic enhancement of Chinese loess the role of γFe_2O_3?, **117,** 265

Faber, S. *see* Plenefisch, T.
Faber, S., Bonjer, K.-P., Brüstle, W., Deichmann, N., Seismicity and structural complexity of the Dinkelberg block, southern Rhine Graben, **116,** 393
Fainberg, E.B. *see* Avdeev, D.B.
Farnell, G.W., Acoustic reflection calculation using transfer matrices, **118,** 358
Farra, V., Vinnik, L., Shear-wave splitting in the mantle of the Pacific, **119,** 195
Ferguson, I.J., Edwards, R.N., Electromagnetic mode conversion by surface-conductivity anomalies: applications for conductivity soundings, **117,** 48
Fischer, G., Masero, W., Rotational properties of the magnetotelluric impedance tensor: the example of the Arguainha impact crater, Brazil, **119,** 548
Flores-Luna, C. *see* Virieux, J.
Florsch, N., Chambat, F., Hinderer, J., Legros, H., A simple method to retrieve the complex eigenfrequency of the Earth's nearly diurnal-free wobble; application to the Strasbourg superconducting gravimeter data, **116,** 53
Flueh, E.R. *see* Klaeschen, D.
Fontes, S.L. *see* Masero, W.
Forster, Th., Evans, M.E., Heller, F., The frequency dependence of low field susceptibility in loess sediments, **118,** 636
Frazer, L.N. *see* Nolte, B.
Frazer, L.N., A pulse in a binary sediment, **118,** 75
Frederichs, T.W. *see* Nowaczyk, N.R.
Friederich, W., Wielandt, E., Stange, S., Non-plane geometries of seismic surface wavefields and their implications for regional surface-wave tomography, **119,** 931
Fryer, D.T. *see* Bernabé, Y.
Fujiwara, H., Takenaka, H., Calculation of surface waves for a thin basin structure using a direct boundary element method with normal modes, **117,** 69

Gaffet, S., Massinon, B., Plantet, J.-L., Cansi, Y., Modelling local seismograms of French nuclear tests in Taourirt tan Afella massif, Hoggar, Algeria, **119,** 964
Gala, M.G., Palmer, H.C., Correction for deviations due to magnetic anisotropy of palaeomagnetic directions from the Mulcahy Gabbro, north-west Ontario, **118,** 485
Galanopoulos, D. *see* Tsapanos, T.M.
Gallet, Y., Vandamme, D., Krystyn, L., Reply to the comment by J. E. T. Channell and J. S. Stoner on 'Magnetostratigraphy of the Hettangian Langmoos section (Adnet, Austria): evidence for time-delayed phases of magnetization', **119,** 1008
Galloway, R.B. *see* Liritzis, I.
Gard, G. *see* Nowaczyk, N.R.
Gasparini, P. *see* Braitenberg, C.
Gaulier, J.M. *see* Jestin, F.
Gautam, P., Appel, E., Magnetic-polarity stratigraphy of Siwalik Group sediments of Tinau Khola section in west central Nepal, revisited, **117,** 223
Geller, R.J., Ohminato, T., Computation of synthetic seismograms and their partial derivatives for heterogeneous media with arbitrary natural boundary conditions using the Direct Solution Method, **116,** 421
Gibert, D. *see* Virieux, J.
Gibson, R.L., Jr, Campillo, M., Numerical simulation of high- and low-frequency *Lg*-wave propagation, **118,** 47
Gilbert, F., Splitting of the free-oscillation multiplets by steady flow, **116,** 227
Gitterman, Y., Shapira, A., Spectral characteristics of seismic events off the coast of the Levant, **116,** 485
Given, H. *see* Helffrich, G.
Göddenhenrich, T. *see* Williams, W.
Goff, J.A. *see* Levander, A.
Gordon, R.G. *see* DeMets, C., Petronotis, K.E.
Gough, D.I. *see* Majorowicz, J.A.
Green, E.R. *see* Green, W.A.
Green, W.A., Green, E.R., Wave propagation in polar elastic superlattices, **118,** 459
Gresta, S., Marzocchi, W., Mulargia, F., Is there a correlation between larger local earthquakes and the end of eruptions at Mount Etna volcano, Sicily?, **116,** 230
Grütter, P., Allenspach, R., Can magnetic-force microscopy determine micromagnetic structures?, **116,** 502
Gubbins, D. *see* Hutcheson, K.A.

Gudmundsson, O., Brandsdottir, B., Menke, W., Sigvaldason, G.E., The crustal magma chamber of the Katla volcano in south Iceland revealed by 2-D seismic undershooting, **119,** 277
Gurrola, H., Minster, J.B., Owens, T., The use of velocity spectrum for stacking receiver functions and imaging upper mantle discontinuities, **117,** 427

Habashy, T.M. *see* McGillivray, P.R.
Habermann R.E. *see* Eneva, M.
Haessler, H. *see* Comte, D.
Haines, G.V., Torta, J.M., Determination of equivalent current sources from spherical cap harmonic models of geomagnetic field variations, **118,** 499
Halls, H.C. *see* Pfleiderer, S.
Hamburger, M.W. *see* Eneva, M.
Hamdani, Y., Mareschal, J.-C., Arkani-Hamed, J., Phase change and thermal subsidence of the Williston basin, **116,** 585
Hardt, M., Scherbaum, F., The design of optimum networks for aftershock recordings, **117,** 716
Hayes, M. *see* Boulanger, Ph.
Hearn, T.M., Ni, J.F., *Pn* velocities beneath continental collision zones: the Turkish–Iranian Plateau, **117,** 273
Hedlin, M.A.H., Minster, J.-B., Orcutt, J.A., Resolution of prominent crustal scatterers near the NORESS small-aperture array, **119,** 101
Heiden, C. *see* Williams, W.
Heider, F. *see* Williams, W.
Helffrich, G., Silver, P., Given, H., Shear-wave splitting variation over short spatial scales on continents, **119,** 561
Heller, F. *see* Evans, M.E.; Forster, Tn.
Henderson, J., Main, I.G., Pearce, R.G., Takeya, M., Seismicity in north-eastern Brazil: fractal clustering and the evolution of the *b* value, **116,** 217
Henry, B. *see* Derder, M.E.-M.
Henstock, T.J. *see* McBride, J.H.
Hestholm, S.O., Husebye, E.S., Ruud, B.O., Seismic wave propagation in complex crustupper mantle media using 2-D finite-difference synthetics, **118,** 643
Hinderer, J. *see* Florsch, N.
Hinderer J., Crossley D., Xu H., A two-year comparison between the French and Canadian superconducting gravimeter data, **116,** 252
Hirao, J. *see* Oda, H.
Hobbs, R.W. *see* Levander, A.; McBride, J.H.
Hodych, J.P., Buchan, K.L., Early Silurian palaeolatitude of the Springdale Group redbeds of central Newfoundland: a palaeomagnetic determination with a remanence anisotropy test for inclination error, **117,** 640
Hodych, J.P., Buchan, K.L., Reply to comment by Stamatakos et al. on'Early Silurian palaeolatitude of the Springdale Group redbeds of central Newfoundland: a palaeomagnetic determination with a remanence anisotropy test for inclination error', **119,** 1014
Hoffmann, V. *see* Williams, W.
Holliger, K. *see* Levander, A.
Holliger, K., Levander, A., Seismic structure of gneissic/granitic upper crust: geological and petrophysical evidence from the Strona–Ceneri Zone (northern Italy) and implications for crustal seismic exploration, **119,** 497
Horsefield, S.J., Whitmarsh, R.B., White, R.S., Sibuet, J.-C., Crustal structure of the Goban Spur rifted continental margin, NE Atlantic, **119,** 1
Houseman, G.A. *see* Wang, Y.
Hrouda, F., A technique for the measurement of thermal changes of magnetic susceptibility of weakly magnetic rocks by the CS-2 apparatus and KLY-2 Kappabridge, **118,** 604
Huang, L.-J., Mora, P., The phononic lattice solid by interpolation for modelling *P* waves in heterogeneous media, **119,** 766
Huang, L.-J., Mora, P., The phononic lattice solid with fluids for modelling non-linear solid–fluid interactions, **117,** 529
Huang, W., Rokhlin, S.I., Elastic-wave scattering and Stoneley wave localization by anisotropic imperfect interfaces between solids, **118,** 285
Huchon, P. *see* Jestin, F.
Hudson, J.A., Overall properties of anisotropic materials containing cracks, **116,** 279
Hudson, J.A., Overall properties of a material with inclusions or cavities, **117,** 555
Husebye, E.S. *see* Hestholm, S.O.
Hutcheson, K.A., Gubbins, D., Kinematic magnetic-field morphology at the core–mantle boundary, **116,** 304

Idnurm, M., New Late Eocene pole for Australia, time-averaging of remanence directions, and palaeogeographic reference systems, **117,** 827
Ikelle, L.T., Yung, S.K., An example of lateral-inhomogeneity effects on seismic traveltimes in a zero-offset VSP experiment, **118,** 802
Israelsson, H., Analysis of historical seismograms—root mean square *Lg* magnitudes, yields and depths of explosions at the Semipalatinsk Test Range, **117,** 591
Itonaga, M., Kitamura, T.-I., Corrigendum, **118,** 812
Itonaga, M., Kitamura, T.-I., Smoothing of geomagnetic data using a piecewise cubic polynomial, **116,** 655
Ivanova, E.I. *see* Zobin, V.M.
Iwasaki, T., Sellevoll, M.A., Kanazawa, T., Veggeland, T., Shimamura, H., Seismic refraction crustal study along the Sognefjord, south-west Norway, employing ocean-bottom seismometers, **119,** 791

Jackson, A., Statistical treatment of crustal magnetization, **119,** 991
Jackson, J. *see* Priestley, K.
Jakobsdottir, S. *see* Menke, W.
Jarvis, G.T., The unifying role of aspect ratio in cylindrical models of mantle convection with varying degrees of curvature, **117,** 419
Jault, D. *see* Jouanne, F.
Jestin, F., Huchon, P., Gaulier, J.M., The Somalia plate and the East African Rift System: present-day kinematics, **116,** 637
Jiang, J., Baird, G.R., Blair, D.P., Dynamic response of a half-space to a buried spherical source, **119,** 753
Jobmann, M., Clauser, C., Heat advection versus conduction at the KTB: possible reasons for vertical variations in heat-flow density, **119,** 44
Johansson, M. *see* Boström, A.
Johnson, C.L., Sandwell, D.T., Lithospheric flexure on Venus, **119,** 627
Johnson, L.R. *see* Stump, B.W.
Jones, F.W. *see* Pascal, F.
Jordi, C., Morrison, L.V., Rosen, R.D., Salstein, D.A., Rosselló, G., Fluctuations in the Earth's rotation since 1830 from high-resolution astronomical data, **117,** 811
Jouanne, F., Ménard, G., Jault, D., Present-day deformation of the French northwestern Alps/southern Jura mountains: comparison between historical triangulations, **119,** 151
Jouanne, V. *see* Tarits, P.

Kagan, Y.Y., Incremental stress and earthquakes, **117,** 345
Kaikkonen, P. *see* Weidelt, P.
Kalcheva, V.B. *see* Liritzis, I.
Kanazawa, T. *see* Iwasaki, T.
Karakaisis, G.F., Long-term earthquake prediction along the North and East Anatolian Fault Zones based on the time- and magnitude-predictable model, **116,** 198
Keller, R. *see* Schmidbauer, E.
Kennett, B.L.N. *see* Billings, S.D.
Kennett, B.L.N., Representations of the seismic wavefield, **118,** 344
Kiselev, A.P., Body waves in a weakly anisotropic medium—I. Plane waves, **118,** 393
Kitamura, T.-I. *see* Itonaga, M.
Klaeschen, D., Rabbel, W., Flueh, E.R., An automated ray method for diffraction modelling in complex media, **116,** 23
Klimeš, L., Kvasnička, M., 3-D network ray tracing, **116,** 726
Klosko, S.M. *see* Smith, D.E.
Koivukoski, K. *see* Korja, T.
Kolenkiewicz, R. *see* Smith, D.E.
Kondopoulou, D. *see* Atzemoglou, A.
Korja, T., Koivukoski, K., Crustal conductors along the SVEKA Profile in the Fennoscandian (Baltic) Shield, Finland, **116,** 173
Kostek, S. *see* Norris, A.N.
Kovacheva, M. *see* Liritzis, I.
Krebes, E.S. *see* Le, L.H.T.
Krystyn, L. *see* Gallet, Y.

Kukkonen, I.T., Clauser, C., Simulation of heat transfer at the Kola deep-hole site: implications for advection, heat refraction and palaeoclimatic effects, **116,** 409
Kulhanek, O. *see* Arvidsson, R.
Kumazawa, M. *see* Takei, Y.
Kusznir, N.J. *see* Ma, X.Q.
Kvasnička, M. *see* Klimeš, L.

Laborel, J. *see* Stiros, S.C.
Laborel-Deguen, F. *see* Stiros, S.C.
Lamb, S., A simple method for estimating the horizontal velocity field in wide zones of active deformation—I. Description, with an example from California, **119,** 297
Lamb, S., A simple method for estimating the horizontal velocity field in wide zones of active deformation—II. Examples from New Zealand, Central Asia and Chile, **119,** 313
Lavely, E.M. *see* Ritzwoller, M.H.
Lay, T. *see* Beckers, J.
Le, L.H.T., Krebes, E.S., Quiroga-Goode, G.E., Synthetic seismograms for *SH* waves in anelastic transversely isotropic media, **116,** 598
Lefftz, M., Sabadini, R., Legros, H., Mantle rheology, viscomagnetic coupling at the core–mantle boundary and differential rotation of the core induced by Pleistocenic deglaciation, **117,** 1
Legros, H. *see* Florsch, N.; Lefftz, M.
Lei, H., Nobes, D.C., Resistivity structure of the underconsolidated sediments of the Cascadia Basin, **118,** 717
Levander, A. *see* Holliger, K.
Levander, A., England, R.W., Smith, S.K., Hobbs, R.W., Goff, J.A., Holliger, K., Stochastic characterization and seismic response of upper and middle crustal rocks based on the Lewisian gneiss complex, Scotland, **119,** 243
Levshin, A.L., Ritzwoller, M.H., Ratnikova, L.I., The nature and cause of polarization anomalies of surface waves crossing northern and central Eurasia, **117,** 577
Li, Y., Oldenburg, D.W., Inversion of 3-D DC resistivity data using an approximate inverse mapping, **116,** 527
Li, Y.C., Sideris, M.G., Improved gravimetric terrain corrections, **119,** 740
Li, Y.D., Rabbel, W., Wang, R., Investigation of permeable fracture zones by tube-wave analysis, **116,** 739
Liakopoulou-Morris, F., Main, I.G., Crawford, B.R., Smart, B.G.D., Microseismic properties of a homogeneous sandstone during fault nucleation and frictional sliding, **119,** 219
Liritzis, I., Galloway, R.B., Kovacheva, M., Kalcheva, V.B., Influence of climate on the radioactivity of lake and sea sediments: first results, **116,** 683
Liu, E. *see* MacBeth, C.
Lomax, A., The wavelength-smoothing method for approximating broad-band wave propagation through complicated velocity structures, **117,** 313
Loper, D.E. *see* Moffatt, H.K.
Louzar, M. *see* Maugin, G.A.
Love, J.J., Bloxham, J., Electromagnetic coupling and the toroidal magnetic field at the core–mantle boundary, **117,** 235
Lowes, F.J., The geomagnetic eccentric dipole: facts and fallacies, **118,** 671
Lund C.-E. *see* Åström, K.

Ma, X.Q., Kusznir, N.J., Effects of rigidity layering, gravity and stress relaxation on 3-D subsurface fault displacement fields, **118,** 201
Mac Niocaill, C., Smethurst, M.A., Palaeozoic palaeogeography of Laurentia and its margins: a reassessment of palaeomagnetic data, **116,** 715
MacBeth, C., Liu, E., The problem of water-column multiples for processing converted *S* waves in marine VSP data, **119,** 999
McBride, J.H., White, R.S., Henstock, T.J., Hobbs, R.W., Complex structure along a Mesozoic sea-floor spreading ridge: BIRPS deep seismic reflection, Cape Verde abyssal plain, **119,** 453
McGillivray, P.R., Oldenburg, D.W., Ellis, R.G., Habashy, T.M., Calculation of sensitivities for the frequency-domain electromagnetic problem, **116,** 1
Machetel, P. *see* Thoraval, C.
McKerrow, W.S. *see* Torsvik, T.H.
Madariaga, R. *see* Campos, J.
Maeland, E., On the evaluation of explicit 2-D extrapolation operators, **116,** 85
Magnier, S.-A. *see* Donzé, F.
Main, I.G. *see* Henderson, J.; Liakopoulou-Morris, F.
Majorowicz, J.A., Gough, D.I., A model of crustal conductive structure in the Canadian Cordillera, **117,** 301
Mao, W.J., Panza, G.F., Suhadolc, P., Linearized waveform inversion of local and near-regional events for source mechanism and rupturing processes, **116,** 784
Maradudin, A.A., Zierau, W., Surface acoustic waves of sagittal and shear-horizontal polarizations on large-amplitude gratings, **118,** 325
Mareschal, J.-C. *see* Hamdani, Y.
Martin, H. *see* Oncescu, M.-C.
Martinec, Z., The density contrast at the Mohorovičič discontinuity, **117,** 539
Martinec, Z., The minimum depth of compensation of topographic masses, **117,** 545
Márton, E., Nardi, G., Cretaceous palaeomagnetic results from Murge (Apulia, southern Italy): tectonic implications, **119,** 842
Marzocchi, W. *see* Gresta, S.
Masero, W. *see* Fischer, G.
Masero, W., Schnegg, P.-A., Fontes, S.L., A magnetotelluric investigation of the Araguainha impact structure in Mato Grosso-Goiás, central Brazil, **116,** 366
Massinon, B. *see* Gaffet, S.
Masters, T.G. *see* Scott, J.S.
Maugin, G.A., Chevalier, Y., Louzar, M., Interfacial waves in the presence of areas of slip, **118,** 305
Meju, M.A., Biased estimation: a simple framework for inversion and uncertainty analysis with prior information, **119,** 521
Mena, M. *see* Vizán, H.
Ménard, G. *see* Jouanne, F.
Menke, W. *see* Gudmundsson, O.
Menke, W., Brandsdottir, B., Jakobsdottir, S., Stefansson, R., Seismic anisotropy in the crust at the mid-Atlantic plate boundary in south-west Iceland, **119,** 783
Menvielle, M. *see* Tarits, P.
Menvielle, M., Tarits, P., Adjustment of the electromagnetic field distorted by 3-D heterogeneities, **116,** 562
Merabet, N.-E. *see* Derder, M.E.-M.
Merriam, J.B., The nearly diurnal free wobble resonance in gravity measured at Cantley, Quebec, **119,** 369
Minster, J.-B. *see* Hedlin, M.A.H.
Minster, J.B. *see* Gurrola, H.
Mitchell B.J., Xie, J.-k., Attenuation of multiphase surface waves in the Basin and Range Province—III. Inversion for crustal anelasticity, **116,** 468
Mochizuki, E., Linear inversion of geomagnetic inclination and declination, **119,** 349
Moffatt, H.K., Loper, D.E., The magnetostrophic rise of a buoyant parcel in the Earth's core, **117,** 394
Mora, P. *see* Donzé, F.; Huang, L.-J.
Morrison, L.V. *see* Jordi, C.
Moussine-Pouchkine, A. *see* Smith, B.
Mulargia, F. *see* Gresta, S.
Murrell, S.A.F. *see* Sun, J.

Náběl ek, J. *see* Campos, J.
Nakada, M., Convective coupling between ductile lower crust and upper mantle, and its tectonic implications, **118,** 579
Nardi, G. *see* Márton, E.
Negrini, R.M. *see* Roberts, A.P.
Nerem, R.S. *see* Smith, D.E.
Ni, J.F. *see* Hearn, T.M.
Nobes, D.C. *see* Lei, H.
Nolet, G. *see* Zielhuis, A.
Nolte, B., Frazer, L.N., Vertical seismic profile inversion with genetic algorithms, **117,** 162
Norris, A.N., Sinha, B.K., Kostek, S., Acoustoelasticity of solid/fluid composite systems, **118,** 439
Nowack, R. *see* van Heijst, H.J.
Nowaczyk, N.R., Frederichs, T.W., Eisenhauer, A., Gard, G., Magnetostratigraphic data from late Quaternary sediments from the Yermak Plateau, Arctic Ocean: evidence for four geomagnetic polarity events within the last 170 Ka of the Brunhes Chron, **117,** 453

O'Brien, M.S., Parker, R.L., Regularized geomagnetic field modelling using monopoles, **118,** 566
Oda, H., Hirao, J., Suzuki, I., Visscher, W.M., Anderson, O.L., Free oscillations of elastically anisotropic spheres and ellipsoids, **118,** 555
Ohminato, T. *see* Geller, R.J.
Okal, E.A. *see* Woods, M.T.
Okamoto, T., Teleseismic synthetics obtained from 3-D calculations in 2-D media, **118,** 613
Oldenburg, D.W. *see* Ellis, R.G.; Li, Y.; McGillivray, P.R.
Olsen, K.H. *see* Stump, B.W.
Olson, P. *see* Travis, B.
Oncescu, M.-C., Camelbeeck, T., Martin, H., Source parameters for the Roermond aftershocks of 1992 April 13–May 2 and site spectra for *P* and *S* waves at the Belgian seismic network, **116,** 673
Orcutt, J.A. *see* Hedlin, M.A.H.
Ordaz, M., Singh, S.K., Arciniega, A., Bayesian attenuation regressions: an application to Mexico City, **117,** 335
Orgeira, M.J. *see* Vizán, H.
Owens, T. *see* Gurrola, H.
Owens, T.J. *see* Randall, G.E.
Özalaybey, S., Savage, M.K., Double-layer anisotropy resolved from *S* phases, **117,** 653

Palmer, H.C. *see* Gala, M.G.
Pankratov, O.V. *see* Avdeev, D.B.
Panza, G.F. *see* Mao, W.J.
Papamarinopoulos, S. *see* Atzemoglou, A.
Pardo, M. *see* Comte, D.
Parker, R.L. *see* O'Brien, M.S.
Parmentier, E.M., Sotin, C., Travis, B.J., Turbulent 3-D thermal convection in an infinite Prandtl number, volumetrically heated fluid: implications for mantle dynamics, **116,** 241
Pascal, F., Jones, F.W., Numerical calculations of the thermal conductivities of composites: a 2-D model, **118,** 623
Pavlenkova, N. *see* Priestley, K.
Pavlis, E.C. *see* Smith, D.E.
Pavlov, V.M., On non-uniqueness of the inverse problem for a seismic source—I. Treatment in terms of equivalent force, **119,** 479
Pavlov, V.M., On non-uniqueness of the inverse problem for a seismic source—II. Treatment in terms of polynomial moment, **119,** 487
Pearce, R.G. *see* Henderson, J.
Petronotis, K.E., Gordon, R.G., Acton, G.D., A 57 Ma Pacific plate palaeomagnetic pole determined from a skewness analysis of crossings of marine magnetic anomaly 25r, **118,** 529
Pfleiderer, S., Halls, H.C., Magnetic pore fabric analysis: a rapid method for estimating permeability anisotropy, **116,** 39
Pick, T., Tauxe, L., Characteristics of magnetite in submarine basaltic glass, **119,** 116
Piper, J.D.A. *see* Doh, S.-J.
Pirazzoli, P.A. *see* Stiros, S.C.
Plantet, J.-L. *see* Gaffet, S.
Plenefisch, T., Faber, S., Bonjer, K.-P., Investigations of S_n and P_n phases in the area of the upper Rhine Graben and northern Switzerland, **119,** 402
Pollitz, F.F., Global tomography from Rayleigh and Love wave dispersion: effect of ray-path bending, **118,** 730
Ponce, L. *see* Comte, D.
Potts, S. *see* Stamatakos, J.
Prévot, M. *see* Bina, M.M.
Priestley, K., Baker, C., Jackson, J., Implications of earthquake focal mechanism data for the active tectonics of the south Caspian Basin and surrounding regions, **118,** 111
Priestley, K., Cipar, J., Egorkin, A., Pavlenkova, N., Upper-mantle velocity structure beneath the Siberian platform, **118,** 369
Privalovskiy, N.K., Beresnev, I.A., Seismic noise emission induced by seismic waves, **116,** 806
Prodayvoda, G.T. *see* Aleksandrov, K.S.
Punia, M. *see* Singh, S.J.

Quinlan, G. *see* Beaumont, C.
Quiroga-Goode, G.E. *see* Le, L.H.T.

Rabbel, W. *see* Klaeschen, D.; Li, Y.D.
Randall, G.E., Efficient calculation of complete differential seismograms for laterally homogeneous earth models, **118,** 245
Randall, G.E., Owens, T.J., Array analysis of the large-aperture array of the 1988–89 PASSCAL Basin and Range Passive-Source Seismic Experiment, **116,** 618
Rani, S. *see* Singh, S.J.
Rapp, R.H., Wang, Y.M., Dynamic topography estimates using *Geosat* data and a gravimetric geoid in the Gulf Stream region, **117,** 511
Ratnikova, L.I. *see* Levshin, A.L.
Rattanawangcharoen, N., Datta, S.K., Shah, A.H., Non-axisymmetric guided waves in a composite cylinder with transversely isotropic core, **118,** 317
Ray, R.D., Sanchez, B.V., Improved smoothing of an altimetric ocean-tide model with global Proudman functions, **118,** 788
Reinke, R.E. *see* Stump, B.W.
Resovsky, J.S., Ritzwoller, M.H., Characterizing long-period seismic effects of long-wavelength elastic and anelastic models, **117,** 365
Richards, P.G. *see* Ekström, G.
Rietbrock, A., Scherbaum, F., Acoustic imaging of earthquake sources from the Chalfant Valley, 1986, aftershock series, **119,** 260
Ritzwoller, M.H. *see* Levshin, A.L.; Resovsky, J.S.
Ritzwoller, M.H., Lavely, E.M., Long-period surface waves and mantle boundary undulations, **116,** 205
Rius, A. *see* Zarraoa, N.
Rivera, L. *see* Comte, D.
Robbins, J.W. *see* Smith, D.E.
Roberts, A.P., Verosub, K.L., Negrini, R.M., Middle/Late Pleistocene relative palaeointensity of the geomagnetic field from lacustrine sediments, Lake Chewaucan, western United States, **118,** 101
Rodgers, A., Wahr, J., The trade-off between volumetric and topographic structure for seismic traveltimes: 660 km topography and mantle structure, **117,** 19
Roecker, S.W. *see* Comte, D.
Rokhlin, S.I. *see* Huang, W.
Rosen, R.D. *see* Jordi, C.
Rosselló, G. *see* Jordi, C.
Roussignol, M. *see* Tarits, P.
Rummel, R. *see* Xu, P.
Rümpker, G., Thomson, C.J., Seismic-waveform effects of conical points in gradually varying anisotropic media, **118,** 759
Ruud, B.O. *see* Hestholm, S.O.
Ryan, J.W. *see* Zarraoa, N.

Sabadini, R. *see* Lefftz, M.; Vermeersen, L.L.A.
Saikia, C.K., Modified frequency-wavenumber algorithm for regional seismograms using Filon's quadrature: modelling of *Lg* waves in North America, **118,** 142
Salstein, D.A. *see* Jordi, C.
Sambridge, M.S. *see* Billings, S.D.
Sanchez, B.V. *see* Ray, R.D.
Sandwell, D.T. *see* Johnson, C.L.
Sardón, E. *see* Zarraoa, N.
Sato, H., Formulation of the multiple non-isotropic scattering process in 2-D space on the basis of energy-transport theory, **117,** 727
Sato, H., Multiple isotropic scattering model including *P–S* conversions for the seismogram envelope formation, **117,** 487
Savage, M.K. *see* Özalaybey, S.; Silver, P.G.
Sayers, C.M., *P*-wave propagation in weakly anisotropic media, **116,** 799
Scherbaum, F. *see* Hardt, M.; Rietbrock, A.
Scherbaum, F., Modelling the Roermond earthquake of 1992 April 13 by stochastic simulation of its high-frequency strong ground motion, **119,** 31
Schmidbauer, E., Keller, R., Magnetic properties and rotational hysteresis of a basalt with homogeneous Ti-rich titanomagnetite grains 10–20 μm in diameter, **119,** 880
Schmitt, D.P. *see* Dong, W.
Schnegg, P.-A. *see* Masero, W.
Schnepp, E., Determination of geomagnetic palaeointensities from the Quaternary West Eifel volcanic field, Germany, **116,** 688
Schultz, A., Zhang, T.S., Regularized spherical harmonic analysis and the 3-D electromagnetic response of the Earth, **116,** 141

Schultz, C.A., Toksöz, M.N., Enhanced backscattering of seismic waves from a highly irregular, random interface: *P–SV* case, **117,** 783
Schwartz, S.Y. *see* Beckers, J.
Scott, J.S., Masters, T.G., Vernon, F.L., 3-D velocity structure of the San Jacinto fault zone near Anza, California—I. *P* waves, **119,** 611
Sellevoll, M.A. *see* Iwasaki, T.
Shackleton, N.J. *see* Tauxe, L.
Shah, A.H. *see* Rattanawangcharoen, N.
Shao, J.C. *see* Stephenson, A.
Shapira, A. *see* Gitterman, Y.
Shaw, J. *see* Eyre, J.K.; Tsunakawa, H.
Shimamura, H. *see* Iwasaki, T.
Shively, R.M. *see* Bernabé, Y.
Sibuet, J.-C. *see* Horsefield, S.J.
Sideris, M.G. *see* Li, Y.C.
Sigvaldason, G.E. *see* Gudmundsson, O.
Silver, P. *see* Helffrich, G.
Silver, P.G., Savage, M.K., The interpretation of shear-wave splitting parameters in the presence of two anisotropic layers, **119,** 949
Singh, D.D., Shear-wave velocity and attenuation structure beneath Antarctica determined from surface waves, **118,** 515
Singh, R.N. *see* Ashalatha, B.
Singh, S.J., Punia, M., Rani, S., Crustal deformation due to non-uniform slip along a long fault, **118,** 411
Singh, S.K. *see* Ordaz, M.
Sinha, B.K. *see* Norris, A.N.
Small, C., A global analysis of mid-ocean ridge axial topography, **116,** 64
Smart, B.G.D. *see* Liakopoulou-Morris, F.
Smethurst, M.A. *see* Mac Niocaill, C.
Smith, A.M., Vaughan, D.G., Comment on 'The effect of sea tides on gravity tidal observations on the Antarctic Ekström ice shelf' by Bülent Tezkan and Ugur Yaramanci, **118,** 808
Smith, B., Moussine-Pouchkine, A., Ahmed, A.A.K., Palaeomagnetic investigation of Middle Devonian limestones of Algeria and the Gondwana reconstruction, **119,** 166
Smith, D.E., Kolenkiewicz, R., Nerem, R.S., Dunn, P.J., Torrence, M.H., Robbins, J.W., Klosko, S.M., Williamson, R.G., Pavlis, E.C., Contemporary global horizontal crustal motion, **119,** 511
Smith, S.K. *see* Levander, A.
Smythe, D.K., Geophysical evidence for ultrawide dykes of the late Carboniferous quartz-dolerite swarms of northern Britain, **119,** 20
Sneeuw, N., Global spherical harmonic analysis by least-squares and numerical quadrature methods in historical perspective, **118,** 707
Snieder, R. *see* van Heijst, H.J.
Soffel, H. *see* Tait, J.
Somoza, R. *see* Vizán, H.
Sotin, C. *see* Parmentier, E.M.
Sozou, C., On some forced oscillations relating to Laplace's tidal equation, **119,** 779
Spada, G. *see* Vermeersen, L.L.A.
Spiegelman, M. *see* Watson, S.
Spiegelman, M., Geochemical effects of magmatic solitary waves—II. Some analysis, **117,** 296
Stamatakos, J., Van der Voo, R., van der Pluijm, B., Potts, S., Torsvik, T., Comment on: 'Early Silurian palaeolatitude of the Springdale Group redbeds of central Newfoundland: a palaeomagnetic determination with a remanence anisotropy test for inclination error' by J. P. Hodych and K. L. Buchan, **119,** 1009
Stange, S. *see* Friederich, W.
Stefansson, R. *see* Menke, W.
Stephenson, A., Shao, J.C., The angular dependence of the median destructive field of magnetite particles, **118,** 181
Stewart, R.R. *see* Eaton, D.W.S.
Stiros, S.C., Pirazzoli, P.A., Laborel, J., Laborel-Deguen, F., The 1953 earthquake in Cephalonia (Western Hellenic Arc): coastal uplift and halotectonic faulting, **117,** 834
Stoner, J.S. *see* Channell, J.E.T.
Stump, B.W., Reinke, R.E., Olsen, K.H., Johnson, L.R., Isotropic and deviatoric characterization of the Coalora nuclear explosion in Yucca Flats, **116,** 538
Suárez, G. *see* Araujo, M.; Comte, D.
Subrahmanyam, C. *see* Ashalatha, B.
Suhadolc, P. *see* Mao, W.J.
Sun, J., Murrell, S.A.F., On the growth and collapse of wide orogenic belts, **118,** 255
Sun, W., Murata, I., Divergence of high-degree harmonic solutions of a rotating elliptical earth, **118,** 269
Suzuki, I. *see* Oda, H.
Svedberg, T. *see* Boström, A.
Szeto, A.M.K. *see* Xu, S.

Tabbagh, A. *see* Dabas, M.
Tabbagh, J. *see* Dabas, M.
Tait, J., Bachtadse, V., Soffel, H., New palaeomagnetic constraints on the position of central Bohemia during Early Ordovician times, **116,** 131
Takei, Y., Kumazawa, M., Why have the single force and torque been excluded from seismic source models?, **118,** 20
Takenaka, H. *see* Fujiwara, H.
Takeya, M. *see* Henderson, J.
Tarits, P. *see* Menvielle, M.
Tarits, P., Jouanne, V., Menvielle, M., Roussignol, M., Bayesian statistics of non-linear inverse problems: example of the magnetotelluric 1-D inverse problem, **119,** 353
Tauxe, L. *see* Pick, T.
Tauxe, L., Shackleton, N.J., Relative palaeointensity records from the Ontong–Java Plateau, **117,** 769
Tezkan, B., On the detectability of a highly conductive layer in the upper mantle beneath the Black Forest crystalline using magnetotelluric methods, **118,** 185
Tezkan, B., Yaramanci, U., Reply to comment by A. M. Smith and D. G. Vaughan, **118,** 811
Thomson, C.J. *see* Rümpker, G.
Thoraval, C., Machetel, P., Cazenave, A., Influence of mantle compressibility and ocean warping on dynamical models of the geoid, **117,** 566
Toksöz, M.N. *see* Schultz, C.A.
Torné, M. *see* Collier, J.S.
Torrence, M.H. *see* Smith, D.E.
Torsvik, T. *see* Stamatakos, J.
Torsvik, T.H., Trench, A., McKerrow, W.S., Implications of palaeomagnetic data from the Tortworth Silurian inlier (southern Britain) to palaeogeography and Variscan tectonism, **119,** 91
Torta, J.M. *see* Haines, G.V.
Travis, B., Olson, P., Convection with internal heat sources and thermal turbulence in the Earth's mantle, **118,** 1
Travis, B.J. *see* Parmentier, E.M.
Trench, A. *see* Torsvik, T.H.
Trimarco, C. *see* Boulanger, Ph.
Tromp, J., A coupled local-mode analysis of surface-wave propagation in a laterally heterogeneous waveguide, **117,** 153
Tromp, J., Surface-wave propagation on a rotating, anisotropic earth, **117,** 141
Tsapanos, T.M., Galanopoulos, D., Burton, P.W., Seismicity in the Hellenic Volcanic Arc: relation between seismic parameters and the geophysical fields in the region, **117,** 677
Tsunakawa, H., Shaw, J., The Shaw method of palaeointensity determinations and its application to recent volcanic rocks, **118,** 781
Tura, M.A.C., On the linearized *SH*-wave inverse problem of a transversely isotropic elastic medium, **119,** 729

Unsworth, M., Exploration of mid-ocean ridges with a frequency-domain electromagnetic system, **116,** 447

van der Pluijm, B. *see* Stamatakos, J.
Van der Voo, R. *see* Stamatakos, J.
van Heijst, H.J., Snieder, R., Nowack, R., Resolving a low-velocity zone with surface-wave data, **118,** 333
van Wees, J.D., Cloetingh, S., A finite-difference technique to incorporate spatial variations in rigidity and planar faults into 3-D models for lithospheric flexure, **117,** 179
Vandamme, D. *see* Gallet, Y.
Vasco, D.W., Singularity and branching: a path-following formalism for geophysical inverse problems, **119,** 809
Vásquez, C.A. *see* Vizán, H.

Vaughan, D.G. *see* Smith, A.M.
Veggeland, T. *see* Iwasaki, T.
Vermeersen, L.L.A., Sabadini, R., Spada, G., Vlaar, N.J., Mountain building and earth rotation, **117,** 610
Vernon, F.L. *see* Scott, J.S.
Verosub, K.L. *see* Roberts, A.P.
Vilas, J.F. *see* Vizán, H.
Vinnik, L. *see* Farra, V.
Virieux, J., Flores-Luna, C., Gibert, D., Asymptotic theory for diffusive electromagnetic imaging, **119,** 857
Visscher, W.M. *see* Oda, H.
Vizán, H., Somoza, R., Orgeira, M.J., Vásquez, C.A., Mena, M., Vilas, J.F., Late Palaeozoic–Mesozoic geomagnetic reversal paths and core–mantle boundary, **117,** 819
Vlaar, N.J. *see* Vermeersen, L.L.A.
Vogt, P. *see* DeMets, C.

Wahr, J. *see* Rodgers, A.
Wang, C.-Y., Achenbach, J.D., Elastodynamic fundamental solutions for anisotropic solids, **118,** 384
Wang, R. *see* Li, Y.D.
Wang, R., Effect of rotation and ellipticity on earth tides, **117,** 562
Wang, Y., Houseman, G.A., Inversion of reflection seismic amplitude data for interface geometry, **117,** 92
Wang, Y.M. *see* Rapp, R.H.
Wang, Z., Dahlen, F.A., JWKB surface-wave seismograms on a laterally heterogeneous earth, **119,** 381
Wangen, M., Numerical simulation of thermal convection in compacting sedimentary basins, **119,** 129
Ward, S.N., Constraints on the seismotectonics of the central Mediterranean from Very Long Baseline Interferometry, **117,** 441
Watson, S., Spiegelman, M., Geochemical effects of magmatic solitary waves—I. Numerical results, **117,** 284
Watts, A.B. *see* Collier, J.S.
Watts, A.B., Crustal structure, gravity anomalies and flexure of the lithosphere in the vicinity of the Canary Islands, **119,** 648
Weber, M., Traveltime and amplitude anomalies at the seismic broad-band array GRF, **118,** 57
Weidelt, P., Kaikkonen, P., Local 1-D interpretation of magnetotelluric B-polarization impedances, **117,** 733
Wessel, P. *see* Bercovici, D.
Whaler, K. *see* Bloor, R.
Whaler, K.A., Downward continuation of Magsat lithospheric anomalies to the Earth's surface, **116,** 267
White, R.S. *see* Horsefield, S.J.; McBride, J.H.
Whitmarsh, R.B. *see* Horsefield, S.J.
Wielandt, E. *see* Friederich, W.
Wilhelm, H., Analytical solution of a basic geothermal equation, **119,** 684
Williams, W., Hoffmann, V., Heider, F., Göddenhenrich, T., Heiden, C., Reply to 'Can magnetic-force microscopy determine micromagnetic structures?' by Grütter and Allenspach, **116,** 506
Williamson, R.G. *see* Smith, D.E.
Wolf, D. *see* Amelung, F.
Wolf, D., Lamé's problem of gravitational viscoelasticity: the isochemical, incompressible planet, **116,** 321
Woods, M.T., Okal, E.A., The structure of the Nazca ridge and Sala y Gomez seamount chain from the dispersion of Rayleigh waves, **117,** 205

Xie, J.-k. *see* Mitchell B.J.
Xu, H. *see* Hinderer, J.
Xu, P., Rummel, R., A simulation study of smoothness methods in recovery of regional gravity fields, **117,** 472
Xu, S., Szeto, A.M.K., Gravitational coupling in the Earth's interior revisited, **118,** 94

Yaramanci, U. *see* Tezkan, B.
Yomogida, K., Detection of anomalous seismic phases by the wavelet transform, **116,** 119
Yung, S.K. *see* Ikelle, L.T.

Zadro, M. *see* Braitenberg, C.
Zarraoa, N., Rius, A., Sardón, E., Ryan, J.W., Relative motions in Europe studied with a geodetic VLBI network, **117,** 763
Zelt, C.A., 3-D velocity structure from simultaneous traveltime inversion of in-line seismic data along intersecting profiles, **118,** 795
Zhang, T.S. *see* Schultz, A.
Zhao, S., Theory and parameter-optimization method for inversion of the tectonophysical model, **117,** 665
Zhou, T., Dravinski, M., Resonance prediction of deep sediment valleys through an eigenvalue method, **117,** 749
Zhu, T., Chun, K.-Y., Complex rays in elastic and anelastic media, **119,** 269
Zhu, T., Chun, K.-Y., Understanding finite-frequency wave phenomena: phase-ray formulation and inhomogeneity scattering, **119,** 78
Zielhuis, A., Nolet, G., Shear-wave velocity variations in the upper mantle beneath central Europe, **117,** 695
Zierau, W. *see* Maradudin, A.A.
Zinger, B.Sh. *see* Avdeev, D.B.
Zobin, V.M., Ivanova, E.I., Earthquake swarms in the Kamchatka–Commander Region, **117,** 33